

06-26 22:34:58.495 E/SQLiteCastStore(10935): End saving paired guest mode devices
06-26 22:34:59.260 D/su (30320): su invoked.
06-26 22:34:59.267 D/su (30320): db allowed
06-26 22:34:59.268 D/su (30320): 10157 /system/xbin/su executing 0
/system/bin/sh using binary /system/bin/sh : sh
06-26 22:34:59.359 D/su (30324): su invoked.
06-26 22:34:59.362 D/su (30324): db allowed
06-26 22:34:59.363 D/su (30324): 10157 /system/xbin/su executing 0
/system/bin/sh using binary /system/bin/sh : sh
06-26 22:34:59.407 D/su (30327): su invoked.
06-26 22:34:59.410 D/su (30327): db allowed
06-26 22:34:59.411 D/su (30327): 10157 /system/xbin/su executing 0
/system/bin/sh using binary /system/bin/sh : sh
06-26 22:34:59.750 E/CellLocation(25357): create GsmCellLocation
06-26 22:35:00.274 E/CellLocation(25357): create GsmCellLocation
06-26 22:35:01.681 D/libc-netbsd(131): getaddrinfo: mtalk.google.com NO result from proxy
06-26 22:35:01.682 D/libc-netbsd(7146): getaddrinfo: mtalk.google.com NO result from proxy
06-26 22:35:04.847 E/CellLocation(25357): create GsmCellLocation
06-26 22:35:08.480 E/WifiService(609): Invoking mWifiStateMachine.setWifiEnabled
06-26 22:35:08.558 I/Controller.doPower:2741(25169): Charging. Resuming normal operation.
06-26 22:35:08.559 E/GooglePlayServicesUtil(25169): The Google Play services resources were not found. Check your project configuration to ensure that the resources are included.
06-26 22:35:08.569 E/GooglePlayServicesUtil(25169): The Google Play services resources were not found. Check your project configuration to ensure that the resources are included.
06-26 22:35:08.580 D/libc-netbsd(131): getaddrinfo: webnotes.pse.de NO result from proxy
06-26 22:35:08.605 D/libc-netbsd(25169): getaddrinfo: webnotes.pse.de NO result from proxy
06-26 22:35:08.736 I/iu.FingerprintManager(10935): Start processing all media
06-26 22:35:08.768 E/NetworkScheduler.SR(7146): Invalid parameter app
06-26 22:35:08.768 E/NetworkScheduler.SR(7146): Invalid package name : Perhaps you didn't include a PendingIntent in the extras?
06-26 22:35:08.804 I/iu.FingerprintManager(10935): Start processing media store URI: content://media/external/images/media
06-26 22:35:08.868 E/cutils (30393): to chown(/mnt/shell/emulated/0, 0, 0)
06-26 22:35:08.870 E/cutils (30393): to chown(/mnt/shell/emulated/obb, 0, 0)
06-26 22:35:08.871 E/cutils (30393): to chown(/storage/emulated/0/Android, 0, 0)
06-26 22:35:08.871 E/cutils (30393): to chown(/storage/emulated/0/Android/obb, 0, 0)
06-26 22:35:08.940 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:09.089 I/iu.FingerprintManager(10935): Start processing media store URI: content://media/external/video/media
06-26 22:35:09.105 I/iu.FingerprintManager(10935): Start processing media store URI: content://media/phoneStorage/images/media
06-26 22:35:09.107 I/iu.FingerprintManager(10935): Start processing media store URI: content://media/phoneStorage/video/media
06-26 22:35:09.109 I/iu.FingerprintManager(10935): Finished generating fingerprints; 0.373 seconds
06-26 22:35:09.109 I/iu.FingerprintManager(10935): numSeen=1276 numGenerated=0 numDeleted=0 numFailed=0
06-26 22:35:10.380 E/stp_dump(149): table == NULL || table->table == NULL
06-26 22:35:10.380 E/stp_dump(149): table == NULL || table->table == NULL
06-26 22:35:10.391 E/stp_dump(149): table == NULL || table->table == NULL
06-26 22:35:10.391 E/stp_dump(149): table == NULL || table->table == NULL
06-26 22:35:10.429 E/wpa_supPLICANT(30417): Add randomness: count=1 entropy=0
06-26 22:35:11.847 E/stp_dump(149): table == NULL || table->table == NULL
06-26 22:35:11.847 E/stp_dump(149): table == NULL || table->table == NULL

06-26 22:35:11.852 E/ (609): btmtk_a2dp_send_msg_2_audio_module@2146:
[A2DP] data send msg to a2dp data fail : Socket operation on non-socket, 88
06-26 22:35:11.882 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:11.965 E/WifiStateMachine(609): Failed to set country code de
06-26 22:35:11.966 E/WifiStateMachine(609): Failed to set frequency band 0
06-26 22:35:12.481 E/stp_dump(149): table == NULL || table->table == NULL
06-26 22:35:12.481 E/stp_dump(149): table == NULL || table->table == NULL
06-26 22:35:12.482 E/wpa_supplicant(30417): Sorted scan results
06-26 22:35:12.482 E/wpa_supplicant(30417): 00:23:08:a2:54:a4 freq=2462 qual=0
noise=0 level=-62 flags=0xb
06-26 22:35:12.482 E/wpa_supplicant(30417): IEs
06-26 22:35:12.482 E/wpa_supplicant(30417):
00096d6f6b6f2d6368616e010882848b960c12182403010b30180100000fac020200000fac02000f
ac040100000fac020000dd1a0050f20101000050f20202000050f2020050f20401000050f2022a01
0032043048606cdd180050f2020101030003a4000027a4000042435e0062322f002d1a0e101bffff
00
0000000000dd0900037f01010000ff7fdd0a00037f0401003000000000706444520010d14dd910050
f204104a00011010440001021041000100103b00010310470010000000000000000030000002308a2
54a41021000b436f72706f726174696f6e1023000941525634353238505710240008312e31302e30
30301042000a4a3932373035353536301054000800060050f204000110110014576972656c657373
20526f757465722857464129100800020004103c000103
06-26 22:35:12.482 E/wpa_supplicant(30417): Beacon IEs
06-26 22:35:12.482 E/wpa_supplicant(30417):
00096d6f6b6f2d6368616e010882848b960c12182403010b0504000100002a010030180100000fac
020200000fac02000fac040100000fac020000dd1a0050f20101000050f20202000050f2020050f2
0401000050f20232043048606cdd180050f2020101030003a4000027a4000042435e0062322f002d
1a0e101bffff00
000000000000000000000000dd0900037f01010000ff7fdd0a00037f040100200000000070644452001
0d14dd050050f20500dd130050f204104a0001101044000102103c000103
06-26 22:35:12.482 E/wpa_supplicant(30417): 14:cc:20:c2:a7:1e freq=2417 qual=0
noise=0 level=-72 flags=0xb
06-26 22:35:12.482 E/wpa_supplicant(30417): IEs
06-26 22:35:12.483 E/wpa_supplicant(30417):
000e54502d4c494e4b5f433241373145010882848b960c1218240301022a010030140100000fac04
0100000fac040100000fac02000032043048606c2d1aef111bffff00000000000000000000000000
00
00000000dd180050f2020101840003a4000027a4000042435e0062322f00dd0900037f01010000ff
7fdd990050f204104a0001101044000102103b00010310470010000102030405060708090a0b0c0d
0e0f1021000754502d4c494e4b10230009544c2d57523834314e10240003392e3010420003312e30
1054000800060050f204000110110019576972656c65737320526f7574657220544c2d5752383431
4e100800020086103c000101104900140024e26002000101600000020001600100020001
06-26 22:35:12.483 E/wpa_supplicant(30417): Beacon IEs
06-26 22:35:12.483 E/wpa_supplicant(30417):
000e54502d4c494e4b5f433241373145010882848b960c1218240301020504000100042a01003014
0100000fac040100000fac040100000fac02000032043048606c2d1aef111bffff00000000000000
0000008000
00000000dd180050f2020101840003a4000027a4000042435e0062322f00dd0900037f01010000ff
7fdd260050f204104a0001101044000102104900140024e26002000101600000020001600100020001
06-26 22:35:12.483 E/wpa_supplicant(30417): d4:63:fe:12:18:db freq=2442 qual=0
noise=0 level=-73 flags=0xb
06-26 22:35:12.483 E/wpa_supplicant(30417): IEs
06-26 22:35:12.484 E/wpa_supplicant(30417):
00096f322d574c414e353601081224486c82848b960301070706444520010d142001002a01002d1a
2c001effff00
0100000fac02000032040c1830603d1607000400
004a0e14000a002c01c8001400050010277f0101dd180050f2020101800003a4000027a400004243
5e0062322f00dd050009860000dd960050f204104a0001101044000102103b000103104700105cda
d59697ff486ea4663ae6236fca8010210008417263616479616e1023000f6f3220486f6d65426f78
20363434311024000849414420363434311042000a443630323230323938391054000800060050f2
04000110110011443630323230323938392d443436334645100800020000103c0001031049000600
372a000120
06-26 22:35:12.484 E/wpa_supplicant(30417): Beacon IEs
06-26 22:35:12.484 E/wpa_supplicant(30417):


```
06-26 22:35:18.312 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.312 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.312 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.312 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.312 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.312 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.312 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.312 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.312 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.312 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.312 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.313 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.313 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.313 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.313 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.313 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.313 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.313 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.313 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.313 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.313 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.313 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.313 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.313 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.313 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.313 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.313 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.313 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.313 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.313 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.313 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.313 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.313 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.314 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.314 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.314 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.314 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.314 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.314 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.314 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.339 E/GooglePlayServicesUtil(25169): The Google Play services
resources were not found. Check your project configuration to ensure that the
resources are included.
06-26 22:35:18.377 D/libc-netbsd(131): getaddrinfo: webnotes.pse.de NO result
from proxy
06-26 22:35:18.377 D/libc-netbsd(131): res_queryN name = webnotes.pse.de, class
= 1, type = 1
06-26 22:35:18.380 D/libc-netbsd(131): res_queryN name = webnotes.pse.de succeed
06-26 22:35:18.382 D/libc-netbsd(25169): getaddrinfo: webnotes.pse.de get result
from proxy >>
06-26 22:35:18.471 D/libc-netbsd(131): getaddrinfo: mtalk.google.com NO result
from proxy
06-26 22:35:18.473 D/libc-netbsd(131): res_queryN name = mtalk.google.com, class
= 1, type = 1
06-26 22:35:18.494 D/libc-netbsd(131): res_queryN name = mtalk.google.com
succeed
06-26 22:35:18.494 D/libc-netbsd(7146): getaddrinfo: mtalk.google.com get result
from proxy >>
06-26 22:35:18.777 E/FWKEXT (609): Enter GetCurrentOP
06-26 22:35:18.929 E/GooglePlayServicesUtil(25169): The Google Play services
resources were not found. Check your project configuration to ensure that the
```

resources are included.
06-26 22:35:18.931 D/libc-netbsd(131): getaddrinfo: imap.strato.de NO result from proxy
06-26 22:35:18.931 E/GooglePlayServicesUtil(25169): The Google Play services resources were not found. Check your project configuration to ensure that the resources are included.
06-26 22:35:18.932 D/libc-netbsd(131): res_queryN name = imap.strato.de, class = 1, type = 1
06-26 22:35:18.937 D/libc-netbsd(131): getaddrinfo: imap.strato.de NO result from proxy
06-26 22:35:18.937 D/libc-netbsd(131): res_queryN name = imap.strato.de, class = 1, type = 1
06-26 22:35:18.944 D/libc-netbsd(131): res_queryN name = imap.strato.de succeed
06-26 22:35:18.944 D/libc-netbsd(131): res_queryN name = imap.strato.de succeed
06-26 22:35:18.944 D/libc-netbsd(29898): getaddrinfo: imap.strato.de get result from proxy >>
06-26 22:35:18.946 D/libc-netbsd(29898): getaddrinfo: imap.strato.de get result from proxy >>
06-26 22:35:18.987 E/NativeCrypto(29898): ssl=0x5cbca1f8 cert_verify_callback x509_store_ctx=0x5e2b7ab0 arg=0x0
06-26 22:35:18.988 E/NativeCrypto(29898): ssl=0x5cbca1f8 cert_verify_callback calling verifyCertificateChain authMethod=ECDHE_RSA
06-26 22:35:19.016 E/NativeCrypto(29898): ssl=0x5cbca3d8 cert_verify_callback x509_store_ctx=0x5e3b7ab0 arg=0x0
06-26 22:35:19.016 E/NativeCrypto(29898): ssl=0x5cbca3d8 cert_verify_callback calling verifyCertificateChain authMethod=ECDHE_RSA
06-26 22:35:19.076 D/su (30538): su invoked.
06-26 22:35:19.079 D/su (30538): db allowed
06-26 22:35:19.091 D/su (30538): 10113 /system/xbin/su executing 0 /system/bin/sh using binary /system/bin/sh : sh
06-26 22:35:19.306 D/su (30573): su invoked.
06-26 22:35:19.309 D/su (30573): db allowed
06-26 22:35:19.310 D/su (30573): 10113 /system/xbin/su executing 0 /system/bin/sh using binary /system/bin/sh : sh
06-26 22:35:19.575 D/su (30612): su invoked.
06-26 22:35:19.577 D/su (30612): db allowed
06-26 22:35:19.578 D/su (30612): 10113 /system/xbin/su executing 0 /system/bin/sh using binary /system/bin/sh : sh
06-26 22:35:19.841 D/su (30657): su invoked.
06-26 22:35:19.844 D/su (30657): db allowed
06-26 22:35:19.845 D/su (30657): 10113 /system/xbin/su executing 0 /system/bin/sh using binary /system/bin/sh : sh
06-26 22:35:19.955 D/su (30692): su invoked.
06-26 22:35:19.958 D/su (30692): db allowed
06-26 22:35:19.959 D/su (30692): 10113 /system/xbin/su executing 0 /system/bin/sh using binary /system/bin/sh : sh
06-26 22:35:20.210 E/CellLocation(25357): create GsmCellLocation
06-26 22:35:20.318 D/libc-netbsd(131): getaddrinfo: ota.fairphone.com NO result from proxy
06-26 22:35:20.319 D/libc-netbsd(131): res_queryN name = ota.fairphone.com, class = 1, type = 1
06-26 22:35:20.319 D/libc-netbsd(131): res_queryN name = ota.fairphone.com., class = 1, type = 1
06-26 22:35:20.321 D/libc-netbsd(13098): getaddrinfo: ota.fairphone.com NO result from proxy
06-26 22:35:20.322 D/libc-netbsd(13098): res_queryN name = ota.fairphone.com, class = 1, type = 1
06-26 22:35:20.323 D/libc-netbsd(13098): res_queryN name = ota.fairphone.com., class = 1, type = 1
06-26 22:35:22.335 D/libc-netbsd(131): getaddrinfo: epodownload.mediatek.com NO result from proxy
06-26 22:35:22.335 D/libc-netbsd(131): res_queryN name = epodownload.mediatek.com, class = 1, type = 1
06-26 22:35:22.336 D/libc-netbsd(131): res_queryN name =

```
epodownload.mediatek.com succeed
06-26 22:35:22.336 D/libc-netbsd(609): getaddrinfo: epodownload.mediatek.com get
result from proxy >>
06-26 22:35:22.795 D/DHCPv6 (30792): extracted an existing DUID from
/data/misc/dhcp/dhcp6c_duid: 00:01:00:01:1b:c7:0c:61:8a:44:7f:e2:bd:eb
06-26 22:35:22.799 D/DHCPv6 (30792): <3>[interface] (9)
06-26 22:35:22.799 D/DHCPv6 (30792): <5>[wlan0] (5)
06-26 22:35:22.799 D/DHCPv6 (30792): <3>begin of closure [{} (1)
06-26 22:35:22.799 D/DHCPv6 (30792): <3>[request] (7)
06-26 22:35:22.799 D/DHCPv6 (30792): <3>[domain-name-servers] (19)
06-26 22:35:22.799 D/DHCPv6 (30792): <3>end of sentence [;] (1)
06-26 22:35:22.799 D/DHCPv6 (30792): <3>[request] (7)
06-26 22:35:22.799 D/DHCPv6 (30792): <3>[domain-name] (11)
06-26 22:35:22.799 D/DHCPv6 (30792): <3>end of sentence [;] (1)
06-26 22:35:22.799 D/DHCPv6 (30792): <3>[information-only] (16)
06-26 22:35:22.799 D/DHCPv6 (30792): <3>end of sentence [;] (1)
06-26 22:35:22.799 D/DHCPv6 (30792): <3>[script] (6)
06-26 22:35:22.799 D/DHCPv6 (30792): <3>["/etc/wide-dhcpv6/dhcp6c.script"] (32)
06-26 22:35:22.799 D/DHCPv6 (30792): <3>end of sentence [;] (1)
06-26 22:35:22.799 D/DHCPv6 (30792): <3>end of closure [{} (1)
06-26 22:35:22.800 D/DHCPv6 (30792): <3>end of sentence [;] (1)
06-26 22:35:22.800 D/DHCPv6 (30792): called
06-26 22:35:22.800 D/DHCPv6 (30792): called
06-26 22:35:22.801 D/DHCPv6 (30792): reset a timer on wlan0, state=INIT,
timeo=0, retrans=842
06-26 22:35:23.644 D/DHCPv6 (30792): a new XID (c3eb64) is generated
06-26 22:35:23.644 D/DHCPv6 (30792): set client ID (len 14)
06-26 22:35:23.644 D/DHCPv6 (30792): set elapsed time (len 2)
06-26 22:35:23.644 D/DHCPv6 (30792): set option request (len 4)
06-26 22:35:23.644 D/DHCPv6 (30792): send information request to
ff02::1:2%wlan0
06-26 22:35:23.644 D/DHCPv6 (30792): reset a timer on wlan0, state=INFOREQ,
timeo=0, retrans=1015
06-26 22:35:23.799 D/libc-netbsd(131): getaddrinfo: ota.fairphone.com NO result
from proxy
06-26 22:35:23.800 D/libc-netbsd(131): res_queryN name = ota.fairphone.com,
class = 1, type = 1
06-26 22:35:23.820 D/libc-netbsd(131): res_queryN name = ota.fairphone.com
succeed
06-26 22:35:23.822 D/libc-netbsd(13098): getaddrinfo: ota.fairphone.com get
result from proxy >>
06-26 22:35:24.019 D/libc-netbsd(131): getaddrinfo: cmdts.ksmobile.com NO result
from proxy
06-26 22:35:24.020 D/libc-netbsd(131): res_queryN name = cmdts.ksmobile.com,
class = 1, type = 1
06-26 22:35:24.020 D/libc-netbsd(131): res_queryN name = cmdts.ksmobile.com
succeed
06-26 22:35:24.021 D/libc-netbsd(11435): getaddrinfo: cmdts.ksmobile.com get
result from proxy >>
06-26 22:35:24.354 D/libc-netbsd(131): getaddrinfo: epodownload.mediatek.com NO
result from proxy
06-26 22:35:24.354 D/libc-netbsd(131): res_queryN name =
epodownload.mediatek.com, class = 1, type = 1
06-26 22:35:24.354 D/libc-netbsd(131): res_queryN name =
epodownload.mediatek.com succeed
06-26 22:35:24.354 D/libc-netbsd(609): getaddrinfo: epodownload.mediatek.com get
result from proxy >>
06-26 22:35:24.661 D/DHCPv6 (30792): set client ID (len 14)
06-26 22:35:24.661 D/DHCPv6 (30792): set elapsed time (len 2)
06-26 22:35:24.661 D/DHCPv6 (30792): set option request (len 4)
06-26 22:35:24.661 D/DHCPv6 (30792): send information request to
ff02::1:2%wlan0
06-26 22:35:24.661 D/DHCPv6 (30792): reset a timer on wlan0, state=INFOREQ,
timeo=1, retrans=1953
```


06-26 22:35:25.205 W/InputEventReceiver(25720): Attempted to finish an input event but the input event receiver has already been disposed.
06-26 22:35:25.319 E/CellLocation(25357): create GsmCellLocation
06-26 22:35:26.617 D/DHCPv6 (30792): set client ID (len 14)
06-26 22:35:26.617 D/DHCPv6 (30792): set elapsed time (len 2)
06-26 22:35:26.617 D/DHCPv6 (30792): set option request (len 4)
06-26 22:35:26.618 D/DHCPv6 (30792): send information request to ff02::1:2%wlan0
06-26 22:35:26.618 D/DHCPv6 (30792): reset a timer on wlan0, state=INFOREQ, timeo=2, retrans=3892
06-26 22:35:28.242 D/libc-netbsd(131): getaddrinfo: clients3.google.com NO result from proxy
06-26 22:35:28.243 D/libc-netbsd(131): res_queryN name = clients3.google.com, class = 1, type = 1
06-26 22:35:28.280 D/libc-netbsd(131): res_queryN name = clients3.google.com succeed
06-26 22:35:28.280 D/libc-netbsd(609): getaddrinfo: clients3.google.com get result from proxy >>
06-26 22:35:30.448 E/CellLocation(25357): create GsmCellLocation
06-26 22:35:30.515 D/DHCPv6 (30792): set client ID (len 14)
06-26 22:35:30.515 D/DHCPv6 (30792): set elapsed time (len 2)
06-26 22:35:30.515 D/DHCPv6 (30792): set option request (len 4)
06-26 22:35:30.515 D/DHCPv6 (30792): send information request to ff02::1:2%wlan0
06-26 22:35:30.515 D/DHCPv6 (30792): reset a timer on wlan0, state=INFOREQ, timeo=3, retrans=7552
06-26 22:35:33.026 D/libc-netbsd(131): getaddrinfo: cmdts.ksmobile.com NO result from proxy
06-26 22:35:33.027 D/libc-netbsd(131): res_queryN name = cmdts.ksmobile.com, class = 1, type = 1
06-26 22:35:33.027 D/libc-netbsd(131): res_queryN name = cmdts.ksmobile.com succeed
06-26 22:35:33.030 D/libc-netbsd(11435): getaddrinfo: cmdts.ksmobile.com get result from proxy >>
06-26 22:35:35.567 E/CellLocation(25357): create GsmCellLocation
06-26 22:35:38.076 D/DHCPv6 (30792): set client ID (len 14)
06-26 22:35:38.076 D/DHCPv6 (30792): set elapsed time (len 2)
06-26 22:35:38.076 D/DHCPv6 (30792): set option request (len 4)
06-26 22:35:38.076 D/DHCPv6 (30792): send information request to ff02::1:2%wlan0
06-26 22:35:38.076 D/DHCPv6 (30792): reset a timer on wlan0, state=INFOREQ, timeo=4, retrans=15663
06-26 22:35:40.704 E/CellLocation(25357): create GsmCellLocation
06-26 22:35:41.030 D/libc-netbsd(131): getaddrinfo: cmdts.ksmobile.com NO result from proxy
06-26 22:35:41.031 D/libc-netbsd(131): res_queryN name = cmdts.ksmobile.com, class = 1, type = 1
06-26 22:35:41.031 D/libc-netbsd(131): res_queryN name = cmdts.ksmobile.com succeed
06-26 22:35:41.034 D/libc-netbsd(11435): getaddrinfo: cmdts.ksmobile.com get result from proxy >>
06-26 22:35:45.822 E/CellLocation(25357): create GsmCellLocation