

```
(fetch/transfer)
02-07 23:56:22.124 10888 10955 D BufferPoolAccessor2.0: Destruction - bufferpool2
0xb400006fca0022a8 cached: 0/0M, 0/0% in use; allocs: 7, 14% recycled; transfers: 64, 89%
unfetched
02-07 23:56:21.949 0 0 D [aw882xx_smartpa_r]aw882xx_set_volume: value 0 , 0x0
02-07 23:56:21.949 0 0 D [aw882xx_smartpa_r]aw882xx_set_cal_re_to_dsp: cali re =
0x0
02-07 23:56:22.124 10888 10955 D BufferPoolAccessor2.0: bufferpool2 0xb400006fca00f2c8 :
0(0 size) total buffers - 0(0 size) used buffers - 1/7 (recycle/alloc) - 10/98 (fetch/-
transfer)
02-07 23:56:22.124 1075 7929 W ServiceManager: Permission failure:
android.permission.SYSTEM_CAMERA from uid=10285 pid=10888
02-07 23:56:21.949 0 0 I [aw882xx_smartpa_r]aw882xx_set_cal_re_to_dsp: no set
cali re to dsp re = 0
02-07 23:56:22.124 10888 10955 D BufferPoolAccessor2.0: Destruction - bufferpool2
0xb400006fca00f2c8 cached: 0/0M, 0/0% in use; allocs: 7, 14% recycled; transfers: 98, 90%
unfetched
02-07 23:56:21.949 0 0 I [aw882xx_smartpa_r]aw882xx_monitor_start: enter
02-07 23:56:22.124 821 1396 I CHIUSECASE: [INFO ] chxextensionmodule.cpp:4857
GetClientPackageName() vendor.debug.camera.pkgname []
02-07 23:56:22.124 821 1396 I CHIUSECASE: [INFO ] chxperf.cpp:266 AcquirePerfLock()
Acquire perflock type: 0
02-07 23:56:21.950 0 0 I [aw882xx_smartpa_r]aw882xx_monitor_get_data: vol: ipeak
= 0xa, gain = 0x1, vmax = 0xffff09558
02-07 23:56:22.124 10888 10955 D BufferPoolAccessor2.0: bufferpool2 0xb400006fca002748 :
0(0 size) total buffers - 0(0 size) used buffers - 2/7 (recycle/alloc) - 5/88 (fetch/-
transfer)
02-07 23:56:22.124 821 1396 W CHIUSECASE: [WARN ] chxperf.cpp:497 AcquirePerfLock()
Acquire perflock failed
02-07 23:56:21.950 0 0 I [aw882xx_smartpa_r]aw882xx_monitor_get_data: temp: ipeak
= 0xa, gain = 0x0, vmax = 0x0
02-07 23:56:22.124 821 1396 W CHIUSECASE: [WARN ] chxperf.cpp:271 AcquirePerfLock()
Failed to acquire perflock type: 0
02-07 23:56:22.124 821 1396 I CHIUSECASE: [INFO ] chxextensionmodule.cpp:835
ExtendOpen() Open Logical cameraId: 0 numPhysicalCameras: 1CameraOpen Mask = 0x1
CameraClose Mask 0x2 maxresourcost 100
02-07 23:56:21.951 0 0 I [aw882xx_smartpa_r]aw882xx_monitor_set_ipeak: ipeak =
0xa, no change
02-07 23:56:22.124 821 1396 E CHIUSECASE: [ERROR ] chxextensionmodule.cpp:5032
SensorPowerup() sensorid:0 begin power up
02-07 23:56:21.951 0 0 D [aw882xx_smartpa_r]aw882xx_set_volume: value 1 , 0x1
02-07 23:56:22.124 832 832 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.124 10888 10955 D BufferPoolAccessor2.0: Destruction - bufferpool2
0xb400006fca002748 cached: 0/0M, 0/0% in use; allocs: 7, 29% recycled; transfers: 88, 94%
unfetched
02-07 23:56:21.951 0 0 I [aw882xx_smartpa_r]aw882xx_monitor_set_gain: set_volume
= 0.5 dB
02-07 23:56:22.125 821 1396 E CHIUSECASE: [ERROR ] chxextensionmodule.cpp:5044
SensorPowerup() sensor power on success !
02-07 23:56:22.125 832 832 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:21.952 0 0 I [aw882xx_smartpa_r]aw882xx_monitor_set_vmax: set vmax =
0xffff09558
02-07 23:56:22.125 832 832 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.125 10888 10955 D BufferPoolAccessor2.0: bufferpool2 0xb400006fca00c6d8 :
0(0 size) total buffers - 0(0 size) used buffers - 0/5 (recycle/alloc) - 1/2 (fetch/-
transfer)
02-07 23:56:22.125 10888 10955 D BufferPoolAccessor2.0: Destruction - bufferpool2
0xb400006fca00c6d8 cached: 0/0M, 0/0% in use; allocs: 5, 0% recycled; transfers: 2, 50%
unfetched
02-07 23:56:22.127 10888 10961 V MediaStore: Examining volume emulated;0 with name
external_primary and state mounted
02-07 23:56:22.127 832 832 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.127 832 832 I chatty : uid=1000(system) sensors@2.0-ser identical 1
line
02-07 23:56:22.127 832 832 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.128 832 12080 I sensors-hal: ssc_conn_resp_cb:663, resp_value = 0
```

```
02-07 23:56:22.128 832 12080 I sensors-hal: handle_indication_realtime:471,
SCHEM_FIFO(10) for qmi_cbk
02-07 23:56:22.132 10888 10961 V MediaStore: Examining volume emulated;0 with name
external_primary and state mounted
02-07 23:56:22.133 10888 10961 E CAM_Thumbnail: getLastThumbnailFromContentResolver,
lastMedia is null.
02-07 23:56:22.134 832 832 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.135 842 1572 I libdisplayconfigqt: Register client name:
camxdisplay821 device client: 0xb4000078d1766fa0
02-07 23:56:22.135 832 832 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.135 842 1576 I SDM : ResourceImpl::SetMaxBandwidthMode: new
bandwidth mode=1
02-07 23:56:22.136 832 832 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.136 832 832 I sensors-hal: activate:220, android.sensor.gyroscope/41
en=1 completed
02-07 23:56:22.136 821 1396 I CHIUSECASE: [INFO ] chxextensionmodule.cpp:1080
GetCameraIdIndex() AppId => LogicalId:0 => 0
02-07 23:56:22.137 821 1396 I chatty : uid=1047(cameraserver) HwBinder:821_2
identical 1 line
02-07 23:56:22.137 821 1396 I CHIUSECASE: [INFO ] chxextensionmodule.cpp:1080
GetCameraIdIndex() AppId => LogicalId:0 => 0
02-07 23:56:22.137 1167 12073 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.138 821 1396 I CHIUSECASE: [INFO ] chxextensionmodule.cpp:1080
GetCameraIdIndex() AppId => LogicalId:0 => 0
02-07 23:56:22.138 10888 10955 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.138 832 832 I sensors-hal: batch:242, android.sensor.accelerometer/11,
period=200000000, max_latency=0
02-07 23:56:22.139 832 832 I sensors-hal: set_config:63, sample_period_ns is adjusted
to 200000000 based on min/max delay_ns
02-07 23:56:22.136 821 821 W HwBinder:821_2: type=1400 audit(0.0:93): avc: denied
{ read } for name="u:object_r:default_prop:s0" dev="tmpfs" ino=25632
scontext=u:r:hal_camera_default:s0 tcontext=u:object_r:default_prop:s0 tclass=file
permissive=0
02-07 23:56:22.139 832 832 I sensors-hal: batch:251, android.sensor.accelerometer/11,
period=200000000, max_latency=0 request completed
02-07 23:56:22.139 832 832 I sensors-hal: activate:209, android.sensor.accelerometer/-
11 en=1
02-07 23:56:22.139 821 1396 I CHIUSECASE: [INFO ] chxextensionmodule.cpp:1080
GetCameraIdIndex() AppId => LogicalId:0 => 0
02-07 23:56:22.139 832 832 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.139 1167 12075 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.140 10888 10955 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.140 821 1396 E libc : Access denied finding property
"ro.camera.req.fmq.size"
02-07 23:56:22.140 832 12084 I sensors-hal: ssc_conn_resp_cb:663, resp_value = 0
02-07 23:56:22.140 10888 12070 D CCodecBuffers: [c2.android.vorbis.decoder#246:Output[N]]
popFromStashAndRegister: output format changed to AMessage(what = 0x00000000) = {
02-07 23:56:22.140 10888 12070 D CCodecBuffers: int32_t channel-count = 1
02-07 23:56:22.140 10888 12070 D CCodecBuffers: string mime = "audio/raw"
02-07 23:56:22.140 10888 12070 D CCodecBuffers: int32_t sample-rate = 44100
02-07 23:56:22.140 10888 12070 D CCodecBuffers: int32_t channel-mask = 1
02-07 23:56:22.140 10888 12070 D CCodecBuffers: }
02-07 23:56:22.141 832 12084 I sensors-hal: handle_indication_realtime:471,
SCHEM_FIFO(10) for qmi_cbk
02-07 23:56:22.141 10888 12071 D CCodecBuffers: [c2.android.vorbis.decoder#720:Output[N]]
popFromStashAndRegister: output format changed to AMessage(what = 0x00000000) = {
02-07 23:56:22.141 10888 12071 D CCodecBuffers: int32_t channel-count = 2
02-07 23:56:22.141 10888 12071 D CCodecBuffers: string mime = "audio/raw"
02-07 23:56:22.141 10888 12071 D CCodecBuffers: int32_t sample-rate = 44100
02-07 23:56:22.141 10888 12071 D CCodecBuffers: int32_t channel-mask = 3
02-07 23:56:22.141 10888 12071 D CCodecBuffers: }
02-07 23:56:22.142 832 832 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.142 832 832 I chatty : uid=1000(system) sensors@2.0-ser identical 1
line
02-07 23:56:22.142 832 832 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.142 821 1396 E FMQ : grantorIdx must be less than 3
```

```
02-07 23:56:22.142 821 1396 E libc : Access denied finding property
"ro.camera.res.fmq.size"
02-07 23:56:22.136 821 821 W HwBinder:821_2: type=1400 audit(0.0:94): avc: denied
{ read } for name="u:object_r:default_prop:s0" dev="tmpfs" ino=25632
scontext=u:r:hal_camera_default:s0 tcontext=u:object_r:default_prop:s0 tclass=file
permissive=0
02-07 23:56:22.142 821 1396 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.143 1075 7929 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.143 1075 7929 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.145 818 3681 D msm8974_platform: platform_set_channel_map
mixer_ctl_name:Playback Channel Map9
02-07 23:56:22.145 10888 10958 E CAM_OneCameraImpl: doOpenCamera, onOpened, camera =
android.hardware.camera2.impl.CameraDeviceImpl@7565385
02-07 23:56:22.145 818 3681 D msm8974_platform: platform_set_channel_map: set
mapping(1 2 0 0 0 0 0) for channel:2
02-07 23:56:22.146 10888 10958 D CAM_OneCameraImpl: setCameraState mCameraState:
CAMERA_OPENING -> CAMERA_OPENED
02-07 23:56:22.146 832 832 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.146 10888 10957 D CAM_OneCameraImpl: doOpenCamera X
02-07 23:56:22.146 10888 10957 E CAM_OneCameraImpl: handleMessage, msg.what = 5
02-07 23:56:22.146 10888 10957 D CAM_OneCameraImpl: onCameraOpened E, mCameraState =
CAMERA_OPENED
02-07 23:56:22.146 10888 10957 W CAM_AndroidServices: Warning: providing system service
window took 0ms
02-07 23:56:22.146 10888 10957 D CAM_OneCameraImpl: onCameraOpened X
02-07 23:56:22.146 10888 10957 E CAM_OneCameraImpl: handleMessage, msg.what = 3
02-07 23:56:22.146 10888 10957 D CAM_OneCameraImpl: doCreateCaptureSession mCameraState =
CAMERA_OPENED
02-07 23:56:22.146 10888 10957 D CAM_AppController: applyZoomValue ratio = 1.0,
cropRegion = Rect(0, 0 - 4000, 3000)
02-07 23:56:22.146 818 3681 E audio_hw_extn: audio_extn_perf_lock_release: Perf lock
release error
02-07 23:56:22.146 818 3681 D audio_hw_primary: start_output_stream: exit
02-07 23:56:22.146 10888 10957 D CAM_AlgoParamDecision: checkAlgoParamParserCondition X
02-07 23:56:22.147 10888 10957 D CAM_BaseModule: getPictureSize, supportSizes =
[4000x3000, 3952x1824, 3840x2160, 3264x2448, 3200x2400, 2976x2976, 2880x2156, 2688x1512,
2560x1440, 2340x1080, 2048x1536, 1920x1440, 1920x1080, 1600x1200, 1440x1080, 1280x960,
1280x768, 1280x720, 1080x1080, 1024x738, 1024x768, 864x480, 800x600, 800x480, 720x1280,
720x480, 640x480, 640x400, 640x360, 352x288, 320x240, 240x320, 176x144], boundSize =
4608x3456
02-07 23:56:22.147 10888 10957 E CAM_AlgoParamDecision: getDCorrectionParams, size =
4000x3000
02-07 23:56:22.147 10888 10957 D CAM_AlgoParamDecision: checkAlgoParamParserCondition X
02-07 23:56:22.147 818 818 D audio_hw_hfp: hfp_set_parameters: enter
02-07 23:56:22.147 10888 10957 D CAM_CameraSizeHelper: getOptimalPreviewSize,
optimalSize: 1440x1080
02-07 23:56:22.147 818 818 D audio_hw_extn: audio_extn_fm_set_parameters: Enter
02-07 23:56:22.147 10888 10957 D CAM_CameraPreviewUI: setPreviewSize E, mPreviewSize =
null->1440x1080
02-07 23:56:22.147 10888 10957 D CAM_CameraPreviewUI: setPreviewSize X
02-07 23:56:22.147 10888 10957 D CAM_OneCameraImpl: doCreateCaptureSession,
beforeStartPreview
02-07 23:56:22.147 10888 10957 D CAM_AppController: buildSessionCreatorInfo E,
mCurrentModule = com.android.camera.module.photo.PhotoModule@d3643c9
02-07 23:56:22.147 10888 10957 D CAM_CameraSizeHelper: getOptimalPreviewSize,
optimalSize: 1440x1080
02-07 23:56:22.149 10888 10957 D CAM_BaseModule: getPictureSize, supportSizes =
[4000x3000, 3952x1824, 3840x2160, 3264x2448, 3200x2400, 2976x2976, 2880x2156, 2688x1512,
2560x1440, 2340x1080, 2048x1536, 1920x1440, 1920x1080, 1600x1200, 1440x1080, 1280x960,
1280x768, 1280x720, 1080x1080, 1024x738, 1024x768, 864x480, 800x600, 800x480, 720x1280,
720x480, 640x480, 640x400, 640x360, 352x288, 320x240, 240x320, 176x144], boundSize =
4608x3456
02-07 23:56:22.149 10888 10957 D CAM_AppController: buildSessionCreatorInfo, pictureSize:
4000x3000
02-07 23:56:22.150 10888 10957 D CAM_ImageReaderHelper: createImageReader, type =
type_capture_main_image, size = 4000x3000, format = 35
```

```
02-07 23:56:22.150 10888 10957 D CAM_AppController: buildSessionCreatorInfo X
02-07 23:56:22.150 10888 10957 D CAM_OneCameraImpl: doCreateCaptureSession,
mSessionCreatorInfo = SessionCreatorInfo{previewTemplate=1, operationMode=0x8003,
fpsRange=null, hfr=false,
mPreviewSurface=Surface(name=android.graphics.SurfaceTexture@b1245da)/@0x8ac5a0b,
mVideoSurface=null, mPreviewImageSurfaces=[], mCaptureImageSurfaces=[Surface(name=null)/-
@0x453e0e8], inputConfiguration=null}
02-07 23:56:22.150 10888 10957 D CAM_OneCameraImpl: setCameraState mCameraState:
CAMERA_OPENED -> SESSION_CONFIGURING
02-07 23:56:22.151 10888 10957 D CAM_OneCameraImpl: doCreateCaptureSession E
02-07 23:56:22.152 10888 12024 D CAM_AppController: checkStorageState, isSaveSDCard :
false, mStorageSpaceBytes: 229448491008
02-07 23:56:22.153 1075 7929 W CameraDeviceClient: createSurfaceFromGbp: Camera 0 with
consumer usage flag: 256: Forcing asynchronous mode for stream
02-07 23:56:22.154 1075 7929 W CameraDeviceClient: createSurfaceFromGbp: Camera 0:
Overriding format 0x1 to IMPLEMENTATION_DEFINED
02-07 23:56:22.156 832 832 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.156 832 832 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.156 832 832 I sensors-hal: activate:220, android.sensor.accelerometer/-
11 en=1 completed
02-07 23:56:22.157 832 12090 I sensors-hal: ssc_conn_resp_cb:663, resp_value = 0
02-07 23:56:22.157 832 12090 I sensors-hal: handle_indication_realtime:471,
SCHED_FIFO(10) for qmi_cbk
02-07 23:56:22.159 10888 10888 W CAM_ModeSwitcher: set 1 to be current mode
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxextensionmodule.cpp:1080
GetCameraIdIndex() AppId => LogicalId:0 => 0
02-07 23:56:22.159 821 1396 I chatty : uid=1047(cameraserver) HwBinder:821_2
identical 1 line
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxextensionmodule.cpp:1080
GetCameraIdIndex() AppId => LogicalId:0 => 0
02-07 23:56:22.159 821 1396 E CHIUSECASE: [ERROR ] chxextensionmodule.cpp:2409
InitializeOverrideSession() [DEBUG] Operation mode=8003
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxusecaseutils.cpp:894
GetMatchingUsecase() usecase ID:1
02-07 23:56:22.159 821 1396 I CHIUSECASE: [CONFIG ] chxextensionmodule.cpp:2648
InitializeOverrideSession() Session_parameters FPS range 10:30, previewFPS 0, videoFPS 0
BatchSize: 1 HALOutputBufferCombined 0 FPS: 30 SkipPattern: 1, cameraId = 0 selected use
case = 1
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxadvancedcamerausecase.cpp:5124
Initialize() AdvancedCameraUsecase::Initialize usecaseId:1 num_streams:2
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxadvancedcamerausecase.cpp:5125
Initialize() CHI Input Stream Configs:
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxadvancedcamerausecase.cpp:5142
Initialize() stream = 0xb400007077fcb2d8 streamType = 0 streamFormat = 34 streamWidth =
1440 streamHeight = 1080
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxadvancedcamerausecase.cpp:5142
Initialize() stream = 0xb400007077fcb78 streamType = 0 streamFormat = 35 streamWidth =
4000 streamHeight = 3000
02-07 23:56:22.159 10888 10888 D CAM_ModeSwitcher: from 1 to 1
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxmetadata.cpp:1186
AllocateFrameworkMetadata() Allocated FW0 0xb400006f5a437040 entry_cap 256 data_cap 262144
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxmetadata.cpp:1186
AllocateFrameworkMetadata() Allocated FW0 0xb400006f58de9040 entry_cap 256 data_cap 262144
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxmetadata.cpp:1186
AllocateFrameworkMetadata() Allocated FW0 0xb400006f58da5040 entry_cap 256 data_cap 262144
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxmetadata.cpp:1186
AllocateFrameworkMetadata() Allocated FW0 0xb400006f58d61040 entry_cap 256 data_cap 262144
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxmetadata.cpp:1186
AllocateFrameworkMetadata() Allocated FW0 0xb400006f58d1d040 entry_cap 256 data_cap 262144
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxmetadata.cpp:1186
AllocateFrameworkMetadata() Allocated FW0 0xb400006f58cd9040 entry_cap 256 data_cap 262144
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxmetadata.cpp:1186
AllocateFrameworkMetadata() Allocated FW0 0xb400006f58c95040 entry_cap 256 data_cap 262144
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxmetadata.cpp:1186
AllocateFrameworkMetadata() Allocated FW0 0xb400006f58c51040 entry_cap 256 data_cap 262144
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxmetadata.cpp:1186
```

```
AllocateFrameworkMetadata() Allocated FWO 0xb400007057f96b70 entry_cap 2 data_cap 16
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxmetadata.cpp:1186
AllocateFrameworkMetadata() Allocated FWO 0xb400007057f9dfd0 entry_cap 2 data_cap 16
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxmetadata.cpp:1186
AllocateFrameworkMetadata() Allocated FWO 0xb400007057f9b410 entry_cap 2 data_cap 16
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxmetadata.cpp:1186
AllocateFrameworkMetadata() Allocated FWO 0xb400007057f9bf00 entry_cap 2 data_cap 16
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxmetadata.cpp:1186
AllocateFrameworkMetadata() Allocated FWO 0xb400007057f9c7c0 entry_cap 2 data_cap 16
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxmetadata.cpp:1186
AllocateFrameworkMetadata() Allocated FWO 0xb400007057f96b00 entry_cap 2 data_cap 16
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxmetadata.cpp:1186
AllocateFrameworkMetadata() Allocated FWO 0xb400007057f9b2c0 entry_cap 2 data_cap 16
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxmetadata.cpp:1186
AllocateFrameworkMetadata() Allocated FWO 0xb400007057f9b790 entry_cap 2 data_cap 16
02-07 23:56:22.159 821 1396 I CHIUSECASE: [INFO ] chxmetadata.cpp:1241 Initialize()
[CMB_DEBUG] Metadata manager initialized
02-07 23:56:22.160 821 1396 I CHIUSECASE: [INFO ] chxmetadata.cpp:1076
AllocateBuffers() [CMB_DEBUG] Buffer count 16 16
02-07 23:56:22.160 821 1396 I CHIUSECASE: [INFO ] chxmetadata.cpp:1084
AllocateBuffers() [CMB_DEBUG] Allocate buffers for client 0xb4000071d8088fe8 16
02-07 23:56:22.160 821 1396 I CHIUSECASE: [INFO ] chxmetadata.cpp:1508
RegisterExclusiveClient() [CMB_DEBUG] Register success index 1 id 1 16 usage 0
02-07 23:56:22.160 821 1396 I CHIUSECASE: [INFO ] chxusecaseutils.cpp:1624 operator()-
() Adding prune setting #0 - Snapshot = JPEG
02-07 23:56:22.160 821 1396 I CHIUSECASE: [INFO ] chxusecaseutils.cpp:1847
DefaultMatchingUsecase() Considering 13 usecases that have 2 targets
02-07 23:56:22.160 821 1396 I CHIUSECASE: [INFO ] chxusecaseutils.cpp:1847
DefaultMatchingUsecase() Considering 15 usecases that have 3 targets
02-07 23:56:22.160 821 1396 I CHIUSECASE: [INFO ] chxusecaseutils.cpp:1936
IsMatchingUsecase() UsecaseMorphoVideoEISPreviewEIS only for EISVideo
02-07 23:56:22.160 821 1396 I CHIUSECASE: [INFO ] chxusecaseutils.cpp:1847
DefaultMatchingUsecase() Considering 7 usecases that have 4 targets
02-07 23:56:22.160 821 1396 I CHIUSECASE: [INFO ] chxusecaseutils.cpp:1847
DefaultMatchingUsecase() Considering 3 usecases that have 5 targets
02-07 23:56:22.160 821 1396 I CHIUSECASE: [INFO ] chxusecaseutils.cpp:1847
DefaultMatchingUsecase() Considering 3 usecases that have 6 targets
02-07 23:56:22.160 821 1396 I CHIUSECASE: [INFO ] chxusecaseutils.cpp:1847
DefaultMatchingUsecase() Considering 3 usecases that have 7 targets
02-07 23:56:22.160 821 1396 I CHIUSECASE: [INFO ] chxusecaseutils.cpp:1847
DefaultMatchingUsecase() Considering 2 usecases that have 8 targets
02-07 23:56:22.160 821 1396 I CHIUSECASE: [INFO ] chxusecaseutils.cpp:1847
DefaultMatchingUsecase() Considering 1 usecases that have 12 targets
02-07 23:56:22.160 821 1396 I CHIUSECASE: [INFO ] chxusecaseutils.cpp:1847
DefaultMatchingUsecase() Considering 1 usecases that have 16 targets
02-07 23:56:22.160 821 1396 I CHIUSECASE: [INFO ] chxusecaseutils.cpp:1847
DefaultMatchingUsecase() Considering 1 usecases that have 17 targets
02-07 23:56:22.160 821 1396 I CHIUSECASE: [INFO ] chxusecaseutils.cpp:1847
DefaultMatchingUsecase() Considering 1 usecases that have 97 targets
02-07 23:56:22.160 821 1396 E CHIUSECASE: [ERROR ] chxusecaseutils.cpp:1900
DefaultMatchingUsecase() Failed to match usecase. pSelectedUsecase is NULL
02-07 23:56:22.160 821 1396 E CHIUSECASE: [ERROR ] chxextensionmodule.cpp:2734
InitializeOverrideSession() For cameraId = 0 CreateUsecaseObject failed
02-07 23:56:22.160 821 1396 I CHIUSECASE: [INFO ] chxperf.cpp:287 ReleasePerfLock()
Release perflock type: 0
02-07 23:56:22.160 821 1396 I CHIUSECASE: [INFO ] chxperf.cpp:542 ReleasePerfLock()
Perflock already released or not acquired
02-07 23:56:22.160 821 1396 I CHIUSECASE: [INFO ] chxextensionmodule.cpp:2769
InitializeOverrideSession() logicalCameraId = 0, m_totalResourceBudget = 100,
activeResourceCost = 100, m_IFEResourceCost = 100
02-07 23:56:22.160 821 1396 E CamX : [ERROR][HAL ] camxhaldevice.cpp:1036
ConfigureStreams() CHI Module failed to configure streams
02-07 23:56:22.160 1075 7929 E Camera3-Device: Camera 0: configureStreamsLocked: Unable
to configure streams with HAL: Function not implemented (-38)
02-07 23:56:22.166 10888 10888 D CAM_BaseModule: setPauseState, mPause = false -> false
02-07 23:56:22.167 10888 10888 V CAM_LocationManager: starting location updates
```

```
02-07 23:56:22.168 10888 10888 W CAM_AndroidServices: Warning: providing system service
location took 0ms
02-07 23:56:22.168 10888 10888 D CAM_LocationManager: startReceivingLocationUpdates,
NETWORK_PROVIDER = true
02-07 23:56:22.168 10888 10888 D CAM_LocationManager: startReceivingLocationUpdates,
GPS_PROVIDER = true
02-07 23:56:22.170 10888 10888 D CAM_LocationManager: startReceivingLocationUpdates
02-07 23:56:22.170 10888 10888 D CAM_CameraActivity: keepScreenOnForAWhile, millis =
120000
02-07 23:56:22.170 10888 10888 V CAM_QuickActivity: END onResume: Activity =
com.android.camera.CameraActivity@80f57c3
02-07 23:56:22.171 3330 11945 V ULocation: onSetRequest:
ProviderRequest[interval=+10m0s0ms] by WorkSource{10285 com.fp.camera}
02-07 23:56:22.171 3330 11945 V ULocation: using autoUpdate=true autoTime=600000
02-07 23:56:22.172 3330 3482 D ULocClient: Set update interval to 600000
02-07 23:56:22.172 3330 3482 D ULocService: setUpdateInterval[com.google.android.gms]
interval: 600000
02-07 23:56:22.173 3330 3482 D ULocService: Set merged location interval to 600000
(com.google.android.gms:600000ms)
02-07 23:56:22.173 3330 3482 D ULocClient: updateBinding - current: true, refs: 2,
reqs: 1, avail: true
02-07 23:56:22.173 825 825 I LocSvc_GnssInterface: ==> setPositionMode_1_1 line 481
02-07 23:56:22.173 825 985 E LocSvc_APIClientBase: onResponseCb:917] ERROR: 5 ID: 39
02-07 23:56:22.174 825 825 I LocSvc_GnssInterface: ==> start line 287
02-07 23:56:22.175 825 825 I LocSvc_APIClientBase: locAPIStartTracking:363] start new
session: 40
02-07 23:56:22.175 825 990 I LocSvc_api_v02: ---> locClientSendReq line 2409
QMI_LOC_REG_EVENTS_REQ_V02
02-07 23:56:22.175 825 990 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.177 825 990 I LocSvc_api_v02: ---> locClientSendReq line 2409
QMI_LOC_SET_OPERATION_MODE_REQ_V02
02-07 23:56:22.177 825 990 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.177 825 1724 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.177 825 1724 I LocSvc_ApiV02: <--- globalRespCb line 221
QMI_LOC_SET_OPERATION_MODE_REQ_V02
02-07 23:56:22.177 825 990 I LocSvc_api_v02: ---> locClientSendReq line 2409
QMI_LOC_START_REQ_V02
02-07 23:56:22.177 825 990 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.179 10888 10888 D CAM_CameraPreviewUI: setEffectFilter, mEffectFilterIndex
= 0
02-07 23:56:22.180 10888 10888 D CAM_AppController: applyZoomValue ratio = 1.0,
cropRegion = Rect(0, 0 - 4000, 3000)
02-07 23:56:22.180 10888 10888 D CAM_ZoomSeekBar: setZoomViewMode, mZoomMode =
0 ,zoomMaxRatio = 8.0
02-07 23:56:22.187 10888 10888 D CAM_GoogleLensHelper: checkLensAvailability, state = 6
02-07 23:56:22.189 10888 10888 D CAM_AppController: onReceive, action:
android.intent.action.BATTERY_CHANGED
02-07 23:56:22.192 10888 10888 W CAM_ModeSwitcher: stereoGroup size is 3
02-07 23:56:22.192 10888 10888 W CAM_ModeSwitcher: mTransX is 335
02-07 23:56:22.194 10888 10888 W CAM_ModeSwitcher: stereoGroup size is 3
02-07 23:56:22.194 10888 10888 W CAM_ModeSwitcher: mTransX is 335
02-07 23:56:22.194 10888 12071 D CCodecBufferChannel: [c2.android.vorbis.decoder#720]
MediaCodec discarded an unknown buffer
02-07 23:56:22.194 10888 12071 I chatty : uid=10285(com.fp.camera) identical 1 line
02-07 23:56:22.194 10888 12071 D CCodecBufferChannel: [c2.android.vorbis.decoder#720]
MediaCodec discarded an unknown buffer
02-07 23:56:22.197 10888 12094 I hw-BpHwBinder: onLastStrongRef automatically unlinking
death recipients
02-07 23:56:22.200 10888 10888 W CAM_ModeSwitcher: stereoGroup size is 3
02-07 23:56:22.200 10888 10888 W CAM_ModeSwitcher: mTransX is 335
02-07 23:56:22.201 10888 10888 W CAM_ModeSwitcher: stereoGroup size is 3
02-07 23:56:22.201 10888 10888 W CAM_ModeSwitcher: mTransX is 335
02-07 23:56:22.202 10888 10888 E RecyclerView: No adapter attached; skipping layout
02-07 23:56:22.205 1099 11004 E Utils : did not find channel-count and/or sample-rate
02-07 23:56:22.208 10888 10888 D CAM_GLTextureView: onSurfaceTextureAvailable: width =
1080 ,height = 2340
```

```
02-07 23:56:22.209 10888 12070 D CCodecBufferChannel: [c2.android.vorbis.decoder#246]
MediaCodec discarded an unknown buffer
02-07 23:56:22.209 10888 12070 I chatty : uid=10285(com.fp.camera) identical 1 line
02-07 23:56:22.209 10888 12070 D CCodecBufferChannel: [c2.android.vorbis.decoder#246]
MediaCodec discarded an unknown buffer
02-07 23:56:22.209 10888 12095 D CCodec : allocate(c2.android.vorbis.decoder)
02-07 23:56:22.211 10888 12096 I hw-BpHwBinder: onLastStrongRef automatically unlinking
death recipients
02-07 23:56:22.211 1167 9006 I hw-BpHwBinder: onLastStrongRef automatically unlinking
death recipients
02-07 23:56:22.212 1167 9006 V C2Store : in ~ComponentModule
02-07 23:56:22.212 1167 9006 V C2Store : unloading dll
02-07 23:56:22.216 10888 12095 I CCodec : setting up 'default' as default (vendor) store
02-07 23:56:22.216 1167 9006 V C2Store : in init
02-07 23:56:22.216 1167 9006 V C2Store : loading dll
02-07 23:56:22.218 10888 12095 I CCodec : Created component [c2.android.vorbis.decoder]
02-07 23:56:22.218 10888 12095 D CCodecConfig: read media type: audio/vorbis
02-07 23:56:22.220 1099 2204 E Utils : did not find channel-count and/or sample-rate
02-07 23:56:22.222 10888 12093 D CAM_EffectFilterJNI: createNativeObject =
-5476376669436479120
02-07 23:56:22.222 10888 12093 D CAM_EffectFilter: init, EffectFilterJNI version = Morpho
RapidEffect Ver.2.1 Fairphone1.1 2021/08/31
02-07 23:56:22.222 10888 12093 D DefaultEGLConfigChooser: [0] R:8 G:8 B:8 A:0 D:16 S:0
02-07 23:56:22.223 10888 12093 D CAM_CameraPreviewUI: onSurfaceCreated
02-07 23:56:22.223 10888 12093 D CAM_CameraPreviewUI: onSurfaceChanged, width = 1080,
height = 2340
02-07 23:56:22.229 10888 10888 W CAM_ModeSwitcher: stereoGroup size is 3
02-07 23:56:22.230 10888 12095 D ReflectedParamUpdater: extent() != 1 for single value
type: algo.buffers.max-count.values
02-07 23:56:22.230 825 1724 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.230 10888 10888 W CAM_ModeSwitcher: mTransX is 335
02-07 23:56:22.230 825 1724 I LocSvc_ApiV02: <--- globalEventCb line 193
QMI_LOC_EVENT_REPORT_IND_V02
02-07 23:56:22.230 825 1724 E LocSvc_ApiV02: reportLocEvent:3906] Loc event report: 0
KlobucharIonoMode_valid:0: leapSec_valid:1: tauC_valid:1 featureStatusReport_valid: 0
featureStatusReport: 0
02-07 23:56:22.231 1449 1568 I ActivityTaskManager: Displayed com.fp.camera/-
com.android.camera.CameraLauncher: +226ms
02-07 23:56:22.232 10888 12095 D ReflectedParamUpdater: extent() != 1 for single value
type: output.subscribed-indices.values
02-07 23:56:22.232 10888 12095 D ReflectedParamUpdater: extent() != 1 for single value
type: input.buffers allocator-ids.values
02-07 23:56:22.232 10888 12095 D ReflectedParamUpdater: extent() != 1 for single value
type: output.buffers allocator-ids.values
02-07 23:56:22.232 10888 12095 D ReflectedParamUpdater: extent() != 1 for single value
type: algo.buffers allocator-ids.values
02-07 23:56:22.232 10888 12095 D ReflectedParamUpdater: extent() != 1 for single value
type: output.buffers pool-ids.values
02-07 23:56:22.232 10888 12095 D ReflectedParamUpdater: extent() != 1 for single value
type: algo.buffers pool-ids.values
02-07 23:56:22.233 10888 12095 I CCodecConfig: query failed after returning 7 values
(BAD INDEX)
02-07 23:56:22.233 10888 12095 D CCodecConfig: c2 config diff is Dict {
02-07 23:56:22.233 10888 12095 D CCodecConfig: c2::u32 coded.bitrate.value = 64000
02-07 23:56:22.233 10888 12095 D CCodecConfig: c2::u32 input.buffers.max-size.value =
32768
02-07 23:56:22.233 10888 12095 D CCodecConfig: c2::u32 input.delay.value = 0
02-07 23:56:22.233 10888 12095 D CCodecConfig: string input.media-type.value = "audio/-
vorbis"
02-07 23:56:22.233 10888 12095 D CCodecConfig: string output.media-type.value = "audio/-
raw"
02-07 23:56:22.233 10888 12095 D CCodecConfig: c2::u32 raw.channel-count.value = 1
02-07 23:56:22.233 10888 12095 D CCodecConfig: c2::u32 raw.sample-rate.value = 48000
02-07 23:56:22.233 10888 12095 D CCodecConfig: }
02-07 23:56:22.233 3275 3275 D HorizontalPager: child is instance of insettable
02-07 23:56:22.234 10888 12095 D CCodec : [c2.android.vorbis.decoder] buffers are bound
```

```
to CCodec for this session
02-07 23:56:22.234 10888 12095 D CCodecConfig: no c2 equivalents for durationUs
02-07 23:56:22.234 10888 12095 D CCodecConfig: no c2 equivalents for track-id
02-07 23:56:22.234 10888 12095 D CCodecConfig: no c2 equivalents for csd-1
02-07 23:56:22.234 10888 12095 D CCodecConfig: no c2 equivalents for channel-mask
02-07 23:56:22.234 10888 12095 D CCodecConfig: no c2 equivalents for flags
02-07 23:56:22.234 10888 12095 D CCodecConfig: c2 config diff is c2::u32 raw.channel-
count.value = 2
02-07 23:56:22.234 10888 12095 D CCodecConfig: c2::u32 raw.sample-rate.value = 44100
02-07 23:56:22.235 10888 12095 W Codec2Client: query -- param skipped: index = 1107298332.
02-07 23:56:22.235 10888 12095 D CCodec : setup formats input: AMessage(what =
0x00000000) = {
02-07 23:56:22.235 10888 12095 D CCodec : int32_t channel-count = 2
02-07 23:56:22.235 10888 12095 D CCodec : int32_t max-input-size = 32768
02-07 23:56:22.235 10888 12095 D CCodec : string mime = "audio/vorbis"
02-07 23:56:22.235 10888 12095 D CCodec : int32_t sample-rate = 44100
02-07 23:56:22.235 10888 12095 D CCodec : } and output: AMessage(what = 0x00000000) = {
02-07 23:56:22.235 10888 12095 D CCodec : int32_t channel-count = 2
02-07 23:56:22.235 10888 12095 D CCodec : string mime = "audio/raw"
02-07 23:56:22.235 10888 12095 D CCodec : int32_t sample-rate = 44100
02-07 23:56:22.235 10888 12095 D CCodec : int32_t channel-mask = 3
02-07 23:56:22.235 10888 12095 D CCodec : }
02-07 23:56:22.236 10888 12095 W Codec2Client: query -- param skipped: index = 1342179345.
02-07 23:56:22.236 10888 12095 W Codec2Client: query -- param skipped: index = 2415921170.
02-07 23:56:22.237 10888 12095 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.237 10888 12095 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.237 10888 12095 D CCodecBufferChannel: [c2.android.vorbis.decoder#68]
Created input block pool with allocatorID 16 => poolID 37 - OK (0)
02-07 23:56:22.238 1167 1398 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.238 1167 1398 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.238 10888 12095 I CCodecBufferChannel: [c2.android.vorbis.decoder#68]
Created output block pool with allocatorID 16 => poolID 92 - OK
02-07 23:56:22.238 10888 12095 D CCodecBufferChannel: [c2.android.vorbis.decoder#68]
Configured output block pool ids 92 => OK
02-07 23:56:22.239 10888 12095 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.240 1167 1398 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.240 825 1724 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.240 825 1724 I LocSvc_ApiV02: <--- globalEventCb line 193
QMI_LOC_EVENT_ENGINE_STATE_IND_V02
02-07 23:56:22.240 825 990 I LocSvc_api_v02: ---> locClientSendReq line 2409
QMI_LOC_REG_EVENTS_REQ_V02
02-07 23:56:22.240 825 990 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.242 10888 12098 D CCodec : allocate(c2.android.vorbis.decoder)
02-07 23:56:22.242 1167 12097 D SimpleC2Component: Using output block pool with poolID
92 => got 92 - 0
02-07 23:56:22.246 10888 12098 I CCodec : setting up 'default' as default (vendor) store
02-07 23:56:22.247 10888 12098 I CCodec : Created component [c2.android.vorbis.decoder]
02-07 23:56:22.247 10888 12098 D CCodecConfig: read media type: audio/vorbis
02-07 23:56:22.248 831 831 I android.hardware.power-service-qt: Power setMode: 5 to:
0
02-07 23:56:22.249 10888 12098 D ReflectedParamUpdater: extent() != 1 for single value
type: algo.buffers.max-count.values
02-07 23:56:22.249 10888 12098 D ReflectedParamUpdater: extent() != 1 for single value
type: output.subscribed-indices.values
02-07 23:56:22.249 10888 12098 D ReflectedParamUpdater: extent() != 1 for single value
type: input.buffers.allocator-ids.values
02-07 23:56:22.250 10888 12098 D ReflectedParamUpdater: extent() != 1 for single value
type: output.buffers.allocator-ids.values
02-07 23:56:22.250 10888 12098 D ReflectedParamUpdater: extent() != 1 for single value
type: algo.buffers.allocator-ids.values
02-07 23:56:22.251 10888 12098 D ReflectedParamUpdater: extent() != 1 for single value
type: output.buffers.pool-ids.values
02-07 23:56:22.251 10888 12098 D ReflectedParamUpdater: extent() != 1 for single value
type: algo.buffers.pool-ids.values
02-07 23:56:22.252 10888 12098 I CCodecConfig: query failed after returning 7 values
(BAD_INDEX)
```



```
02-07 23:56:22.252 10888 12098 D CCodecConfig: c2 config diff is Dict {
02-07 23:56:22.252 10888 12098 D CCodecConfig: c2::u32 coded.bitrate.value = 64000
02-07 23:56:22.252 10888 12098 D CCodecConfig: c2::u32 input.buffer.max-size.value =
32768
02-07 23:56:22.252 10888 12098 D CCodecConfig: c2::u32 input.delay.value = 0
02-07 23:56:22.252 10888 12098 D CCodecConfig: string input.media-type.value = "audio/-
vorbis"
02-07 23:56:22.252 10888 12098 D CCodecConfig: string output.media-type.value = "audio/-
raw"
02-07 23:56:22.252 10888 12098 D CCodecConfig: c2::u32 raw.channel-count.value = 1
02-07 23:56:22.252 10888 12098 D CCodecConfig: c2::u32 raw.sample-rate.value = 48000
02-07 23:56:22.252 10888 12098 D CCodecConfig: }
02-07 23:56:22.252 10888 12098 D CCodec : [c2.android.vorbis.decoder] buffers are bound
to CCodec for this session
02-07 23:56:22.252 10888 12098 D CCodecConfig: no c2 equivalents for durationUs
02-07 23:56:22.252 10888 12098 D CCodecConfig: no c2 equivalents for track-id
02-07 23:56:22.253 10888 12098 D CCodecConfig: no c2 equivalents for csd-1
02-07 23:56:22.253 10888 12098 D CCodecConfig: no c2 equivalents for channel-mask
02-07 23:56:22.253 10888 12098 D CCodecConfig: no c2 equivalents for flags
02-07 23:56:22.254 10888 12098 W Codec2Client: query -- param skipped: index = 1107298332.
02-07 23:56:22.254 10888 12098 D CCodec : setup formats input: AMessage(what =
0x00000000) = {
02-07 23:56:22.254 10888 12098 D CCodec : int32_t channel-count = 1
02-07 23:56:22.254 10888 12098 D CCodec : int32_t max-input-size = 32768
02-07 23:56:22.254 10888 12098 D CCodec : string mime = "audio/vorbis"
02-07 23:56:22.254 10888 12098 D CCodec : int32_t sample-rate = 48000
02-07 23:56:22.254 10888 12098 D CCodec : } and output: AMessage(what = 0x00000000) = {
02-07 23:56:22.254 10888 12098 D CCodec : int32_t channel-count = 1
02-07 23:56:22.254 10888 12098 D CCodec : string mime = "audio/raw"
02-07 23:56:22.254 10888 12098 D CCodec : int32_t sample-rate = 48000
02-07 23:56:22.254 10888 12098 D CCodec : int32_t channel-mask = 1
02-07 23:56:22.254 10888 12098 D CCodec : }
02-07 23:56:22.255 1167 12097 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.256 10888 10955 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.257 10888 12095 D CCodecBuffers: [c2.android.vorbis.decoder#68:Output[N]]
popFromStashAndRegister: output format changed to AMessage(what = 0x00000000) = {
02-07 23:56:22.257 10888 12095 D CCodecBuffers: int32_t channel-count = 2
02-07 23:56:22.257 10888 12095 D CCodecBuffers: string mime = "audio/raw"
02-07 23:56:22.257 10888 12095 D CCodecBuffers: int32_t sample-rate = 44100
02-07 23:56:22.257 10888 12095 D CCodecBuffers: int32_t channel-mask = 3
02-07 23:56:22.257 10888 12095 D CCodecBuffers: }
02-07 23:56:22.258 10888 12098 W Codec2Client: query -- param skipped: index = 1342179345.
02-07 23:56:22.258 10888 12098 W Codec2Client: query -- param skipped: index = 2415921170.
02-07 23:56:22.259 10888 12098 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.259 10888 12098 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.259 10888 12098 D CCodecBufferChannel: [c2.android.vorbis.decoder#960]
Created input block pool with allocatorID 16 => poolID 38 - OK (0)
02-07 23:56:22.259 1167 12079 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.259 1167 12079 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.260 10888 12098 I CCodecBufferChannel: [c2.android.vorbis.decoder#960]
Created output block pool with allocatorID 16 => poolID 93 - OK
02-07 23:56:22.260 10888 12098 D CCodecBufferChannel: [c2.android.vorbis.decoder#960]
Configured output block pool ids 93 => OK
02-07 23:56:22.261 1167 12101 D SimpleC2Component: Using output block pool with poolID
93 => got 93 - 0
02-07 23:56:22.261 10888 12098 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.261 1167 12079 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.267 1167 12101 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.267 10888 10955 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.268 10888 12098 D CCodecBuffers: [c2.android.vorbis.decoder#960:Output[N]]
popFromStashAndRegister: output format changed to AMessage(what = 0x00000000) = {
02-07 23:56:22.268 10888 12098 D CCodecBuffers: int32_t channel-count = 1
02-07 23:56:22.268 10888 12098 D CCodecBuffers: string mime = "audio/raw"
02-07 23:56:22.268 10888 12098 D CCodecBuffers: int32_t sample-rate = 48000
02-07 23:56:22.268 10888 12098 D CCodecBuffers: int32_t channel-mask = 1
02-07 23:56:22.268 10888 12098 D CCodecBuffers: }
```

```
02-07 23:56:22.299 10888 12095 D CCodecBufferChannel: [c2.android.vorbis.decoder#68]
MediaCodec discarded an unknown buffer
02-07 23:56:22.299 10888 12095 I chatty : uid=10285(com.fp.camera) identical 1 line
02-07 23:56:22.300 10888 12095 D CCodecBufferChannel: [c2.android.vorbis.decoder#68]
MediaCodec discarded an unknown buffer
02-07 23:56:22.302 10888 12095 I hw-BpHwBinder: onLastStrongRef automatically unlinking
death recipients
02-07 23:56:22.310 1099 2204 E Utils : did not find channel-count and/or sample-rate
02-07 23:56:22.314 10888 12103 D CCodec : allocate(c2.android.vorbis.decoder)
02-07 23:56:22.317 10888 12103 I CCodec : setting up 'default' as default (vendor) store
02-07 23:56:22.319 10888 12103 I CCodec : Created component [c2.android.vorbis.decoder]
02-07 23:56:22.320 10888 12103 D CCodecConfig: read media type: audio/vorbis
02-07 23:56:22.321 877 1157 W APM::AudioPolicyEngine: getDevicesForStrategy() unknown
strategy: -1
02-07 23:56:22.322 10888 12098 D CCodecBufferChannel: [c2.android.vorbis.decoder#960]
MediaCodec discarded an unknown buffer
02-07 23:56:22.322 10888 12098 I chatty : uid=10285(com.fp.camera) identical 1 line
02-07 23:56:22.322 10888 12098 D CCodecBufferChannel: [c2.android.vorbis.decoder#960]
MediaCodec discarded an unknown buffer
02-07 23:56:22.322 1449 6121 I system_server: oneway function results will be dropped
but finished with status OK and parcel size 4
02-07 23:56:22.323 10888 12103 D ReflectedParamUpdater: extent() != 1 for single value
type: algo.buffers.max-count.values
02-07 23:56:22.323 10888 12103 D ReflectedParamUpdater: extent() != 1 for single value
type: output.subscribed-indices.values
02-07 23:56:22.323 10888 12103 D ReflectedParamUpdater: extent() != 1 for single value
type: input.buffers allocator-ids.values
02-07 23:56:22.323 10888 12105 I hw-BpHwBinder: onLastStrongRef automatically unlinking
death recipients
02-07 23:56:22.324 10888 12103 D ReflectedParamUpdater: extent() != 1 for single value
type: output.buffers allocator-ids.values
02-07 23:56:22.324 10888 12103 D ReflectedParamUpdater: extent() != 1 for single value
type: algo.buffers allocator-ids.values
02-07 23:56:22.324 10888 12103 D ReflectedParamUpdater: extent() != 1 for single value
type: output.buffers pool-ids.values
02-07 23:56:22.324 10888 12103 D ReflectedParamUpdater: extent() != 1 for single value
type: algo.buffers pool-ids.values
02-07 23:56:22.325 10888 12103 I CCodecConfig: query failed after returning 7 values
(BAD_INDEX)
02-07 23:56:22.326 10888 12103 D CCodecConfig: c2 config diff is Dict {
02-07 23:56:22.326 10888 12103 D CCodecConfig: c2::u32 coded.bitrate.value = 64000
02-07 23:56:22.326 10888 12103 D CCodecConfig: c2::u32 input.buffers.max-size.value =
32768
02-07 23:56:22.326 10888 12103 D CCodecConfig: c2::u32 input.delay.value = 0
02-07 23:56:22.326 10888 12103 D CCodecConfig: string input.media-type.value = "audio/-
vorbis"
02-07 23:56:22.326 10888 12103 D CCodecConfig: string output.media-type.value = "audio/-
raw"
02-07 23:56:22.326 10888 12103 D CCodecConfig: c2::u32 raw.channel-count.value = 1
02-07 23:56:22.326 10888 12103 D CCodecConfig: c2::u32 raw.sample-rate.value = 48000
02-07 23:56:22.326 10888 12103 D CCodecConfig: }
02-07 23:56:22.326 1099 2204 E Utils : did not find channel-count and/or sample-rate
02-07 23:56:22.326 10888 12103 D CCodec : [c2.android.vorbis.decoder] buffers are bound
to CCodec for this session
02-07 23:56:22.326 10888 12103 D CCodecConfig: no c2 equivalents for durationUs
02-07 23:56:22.326 10888 12103 D CCodecConfig: no c2 equivalents for track-id
02-07 23:56:22.326 10888 12103 D CCodecConfig: no c2 equivalents for csd-1
02-07 23:56:22.326 10888 12103 D CCodecConfig: no c2 equivalents for channel-mask
02-07 23:56:22.326 10888 12103 D CCodecConfig: no c2 equivalents for flags
02-07 23:56:22.327 10888 12103 W Codec2Client: query -- param skipped: index = 1107298332.
02-07 23:56:22.327 10888 12103 D CCodec : setup formats input: AMessage(what =
0x00000000) = {
02-07 23:56:22.327 10888 12103 D CCodec : int32_t channel-count = 1
02-07 23:56:22.327 10888 12103 D CCodec : int32_t max-input-size = 32768
02-07 23:56:22.327 10888 12103 D CCodec : string mime = "audio/vorbis"
02-07 23:56:22.327 10888 12103 D CCodec : int32_t sample-rate = 48000
```

```
02-07 23:56:22.327 10888 12103 D CCodec : } and output: AMessage(what = 0x00000000) = {
02-07 23:56:22.327 10888 12103 D CCodec : int32_t channel-count = 1
02-07 23:56:22.327 10888 12103 D CCodec : string mime = "audio/raw"
02-07 23:56:22.327 10888 12103 D CCodec : int32_t sample-rate = 48000
02-07 23:56:22.327 10888 12103 D CCodec : int32_t channel-mask = 1
02-07 23:56:22.327 10888 12103 D CCodec : }
02-07 23:56:22.327 10888 12103 W Codec2Client: query -- param skipped: index = 1342179345.
02-07 23:56:22.327 10888 12103 W Codec2Client: query -- param skipped: index = 2415921170.
02-07 23:56:22.328 10888 12103 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.328 10888 12103 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.328 10888 12103 D CCodecBufferChannel: [c2.android.vorbis.decoder#804]
Created input block pool with allocatorID 16 => poolID 39 - OK (0)
02-07 23:56:22.328 1167 1167 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.328 1167 1167 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.329 10888 12103 I CCodecBufferChannel: [c2.android.vorbis.decoder#804]
Created output block pool with allocatorID 16 => poolID 94 - OK
02-07 23:56:22.329 10888 12103 D CCodecBufferChannel: [c2.android.vorbis.decoder#804]
Configured output block pool ids 94 => OK
02-07 23:56:22.330 1167 12104 D SimpleC2Component: Using output block pool with poolID
94 => got 94 - 0
02-07 23:56:22.331 10888 12103 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.331 1167 1167 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.332 10888 12106 D CCodec : allocate(c2.android.raw.decoder)
02-07 23:56:22.336 10888 12106 I CCodec : setting up 'default' as default (vendor) store
02-07 23:56:22.336 1167 1167 V C2Store : in init
02-07 23:56:22.336 1167 1167 V C2Store : loading dll
02-07 23:56:22.338 1167 12104 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.338 10888 10955 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.339 10888 12103 D CCodecBuffers: [c2.android.vorbis.decoder#804:Output[N]]
popFromStashAndRegister: output format changed to AMessage(what = 0x00000000) = {
02-07 23:56:22.339 10888 12103 D CCodecBuffers: int32_t channel-count = 1
02-07 23:56:22.339 10888 12103 D CCodecBuffers: string mime = "audio/raw"
02-07 23:56:22.339 10888 12103 D CCodecBuffers: int32_t sample-rate = 48000
02-07 23:56:22.339 10888 12103 D CCodecBuffers: int32_t channel-mask = 1
02-07 23:56:22.339 10888 12103 D CCodecBuffers: }
02-07 23:56:22.340 10888 12106 I CCodec : Created component [c2.android.raw.decoder]
02-07 23:56:22.340 10888 12106 D CCodecConfig: read media type: audio/raw
02-07 23:56:22.342 10888 12106 D ReflectedParamUpdater: extent() != 1 for single value
type: algo.buffers.max-count.values
02-07 23:56:22.344 10888 12106 D ReflectedParamUpdater: extent() != 1 for single value
type: output.subscribed-indices.values
02-07 23:56:22.344 10888 12106 D ReflectedParamUpdater: extent() != 1 for single value
type: input.buffers.allocator-ids.values
02-07 23:56:22.344 10888 12106 D ReflectedParamUpdater: extent() != 1 for single value
type: output.buffers.allocator-ids.values
02-07 23:56:22.344 10888 12106 D ReflectedParamUpdater: extent() != 1 for single value
type: algo.buffers.allocator-ids.values
02-07 23:56:22.344 10888 12106 D ReflectedParamUpdater: extent() != 1 for single value
type: output.buffers.pool-ids.values
02-07 23:56:22.344 10888 12106 D ReflectedParamUpdater: extent() != 1 for single value
type: algo.buffers.pool-ids.values
02-07 23:56:22.345 10888 12106 I CCodecConfig: query failed after returning 8 values
(BAD INDEX)
02-07 23:56:22.345 10888 12106 D CCodecConfig: c2 config diff is Dict {
02-07 23:56:22.345 10888 12106 D CCodecConfig: c2::u32 coded.bitrate.value = 64000
02-07 23:56:22.345 10888 12106 D CCodecConfig: c2::u32 input.buffers.max-size.value =
65536
02-07 23:56:22.345 10888 12106 D CCodecConfig: c2::u32 input.delay.value = 0
02-07 23:56:22.345 10888 12106 D CCodecConfig: string input.media-type.value = "audio/-
raw"
02-07 23:56:22.345 10888 12106 D CCodecConfig: string output.media-type.value = "audio/-
raw"
02-07 23:56:22.345 10888 12106 D CCodecConfig: c2::u32 raw.channel-count.value = 2
02-07 23:56:22.345 10888 12106 D CCodecConfig: c2::u32 raw.pcm-encoding.value = 0
02-07 23:56:22.345 10888 12106 D CCodecConfig: c2::u32 raw.sample-rate.value = 44100
02-07 23:56:22.345 10888 12106 D CCodecConfig: }
```

```
02-07 23:56:22.345 10888 12106 D CCodec : [c2.android.raw.decoder] buffers are bound to
CCodec for this session
02-07 23:56:22.345 10888 12106 D CCodecConfig: no c2 equivalents for durationUs
02-07 23:56:22.345 10888 12106 D CCodecConfig: no c2 equivalents for track-id
02-07 23:56:22.345 10888 12106 D CCodecConfig: no c2 equivalents for bits-per-sample
02-07 23:56:22.345 10888 12106 D CCodecConfig: no c2 equivalents for channel-mask
02-07 23:56:22.345 10888 12106 D CCodecConfig: no c2 equivalents for flags
02-07 23:56:22.346 10888 12106 D CCodecConfig: c2 config diff is c2::u32 raw.channel-
count.value = 1
02-07 23:56:22.346 10888 12106 D CCodecConfig: c2::u32 raw.sample-rate.value = 11025
02-07 23:56:22.346 10888 12106 W Codec2Client: query -- param skipped: index = 1107298332.
02-07 23:56:22.346 10888 12106 D CCodec : setup formats input: AMessage(what =
0x00000000) = {
02-07 23:56:22.346 10888 12106 D CCodec : int32_t channel-count = 1
02-07 23:56:22.346 10888 12106 D CCodec : int32_t max-input-size = 65536
02-07 23:56:22.346 10888 12106 D CCodec : string mime = "audio/raw"
02-07 23:56:22.346 10888 12106 D CCodec : int32_t pcm-encoding = 2
02-07 23:56:22.346 10888 12106 D CCodec : int32_t sample-rate = 11025
02-07 23:56:22.346 10888 12106 D CCodec : } and output: AMessage(what = 0x00000000) = {
02-07 23:56:22.346 10888 12106 D CCodec : int32_t channel-count = 1
02-07 23:56:22.346 10888 12106 D CCodec : string mime = "audio/raw"
02-07 23:56:22.346 10888 12106 D CCodec : int32_t pcm-encoding = 2
02-07 23:56:22.346 10888 12106 D CCodec : int32_t sample-rate = 11025
02-07 23:56:22.346 10888 12106 D CCodec : int32_t channel-mask = 0
02-07 23:56:22.346 10888 12106 D CCodec : }
02-07 23:56:22.346 10888 12106 W Codec2Client: query -- param skipped: index = 1342179345.
02-07 23:56:22.346 10888 12106 W Codec2Client: query -- param skipped: index = 2415921170.
02-07 23:56:22.347 10888 12106 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.347 10888 12106 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.347 10888 12106 D CCodecBufferChannel: [c2.android.raw.decoder#784]
Created input block pool with allocatorID 16 => poolID 40 - OK (0)
02-07 23:56:22.347 1167 2212 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.347 1167 2212 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.348 10888 12106 I CCodecBufferChannel: [c2.android.raw.decoder#784]
Created output block pool with allocatorID 16 => poolID 95 - OK
02-07 23:56:22.348 10888 12106 D CCodecBufferChannel: [c2.android.raw.decoder#784]
Configured output block pool ids 95 => OK
02-07 23:56:22.349 1167 12107 D SimpleC2Component: Using output block pool with poolID
95 => got 95 - 0
02-07 23:56:22.349 1099 11004 D MediaBufferGroup: creating MemoryDealer
02-07 23:56:22.352 10888 12106 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.352 1167 2212 E FMQ : grantorIdx must be less than 3
02-07 23:56:22.356 10888 12106 D CCodecBuffers: [c2.android.raw.decoder#784:Output[N]]
popFromStashAndRegister: output format changed to AMessage(what = 0x00000000) = {
02-07 23:56:22.356 10888 12106 D CCodecBuffers: int32_t channel-count = 1
02-07 23:56:22.356 10888 12106 D CCodecBuffers: string mime = "audio/raw"
02-07 23:56:22.356 10888 12106 D CCodecBuffers: int32_t pcm-encoding = 2
02-07 23:56:22.356 10888 12106 D CCodecBuffers: int32_t sample-rate = 11025
02-07 23:56:22.356 10888 12106 D CCodecBuffers: int32_t channel-mask = 0
02-07 23:56:22.356 10888 12106 D CCodecBuffers: }
02-07 23:56:22.358 10888 12106 D CCodecBufferChannel: [c2.android.raw.decoder#784]
MediaCodec discarded an unknown buffer
02-07 23:56:22.359 10888 12106 D CCodecBufferChannel: [c2.android.raw.decoder#784]
MediaCodec discarded an unknown buffer
02-07 23:56:22.360 10888 12106 I hw-BpHwBinder: onLastStrongRef automatically unlinking
death recipients
02-07 23:56:22.360 1167 1167 D BufferPoolAccessor2.0: Destruction - bufferpool2
0xb4000079151bd4c8 cached: 0/0M, 0/0% in use; allocs: 0, 0% recycled; transfers: 0, 0%
unfetched
02-07 23:56:22.360 1167 2212 V C2Store : in ~ComponentModule
02-07 23:56:22.361 1167 2212 V C2Store : unloading dll
02-07 23:56:22.384 10888 12103 D CCodecBufferChannel: [c2.android.vorbis.decoder#804]
MediaCodec discarded an unknown buffer
02-07 23:56:22.384 10888 12103 D CCodecBufferChannel: [c2.android.vorbis.decoder#804]
MediaCodec discarded an unknown buffer
02-07 23:56:22.387 10888 12109 I hw-BpHwBinder: onLastStrongRef automatically unlinking
```

```
death recipients
02-07 23:56:22.387 1167 2212 I hw-BpHwBinder: onLastStrongRef automatically unlinking
death recipients
02-07 23:56:22.388 1167 2212 V C2Store : in ~ComponentModule
02-07 23:56:22.388 1167 2212 V C2Store : unloading dll
02-07 23:56:22.395 1075 7929 D CameraTraces: Process trace saved. Use dumsys
media.camera to view.
02-07 23:56:22.395 1075 7929 E CameraDeviceClient: endConfigure: Camera 0: Error
configuring streams: Function not implemented (-38)
02-07 23:56:22.396 10888 10957 E CameraCaptureSession: Session 0: Failed to create
capture session; configuration failed
02-07 23:56:22.396 10888 10957 E CAM_OneCameraImpl: doCreateCaptureSession Exception:
java.lang.Throwable: android.hardware.camera2.CameraAccessException: CAMERA_ERROR (3):
endConfigure:510: Camera 0: Error configuring streams: Function not implemented (-38)
02-07 23:56:22.396 10888 10957 E CAM_OneCameraImpl: onConfigureFailed
02-07 23:56:22.396 10888 10957 D CAM_OneCameraImpl: setCameraState mCameraState:
SESSION_CONFIGURING -> SESSION_CONFIGURE_FAILED
02-07 23:56:22.396 10888 10908 W com.fp.camera: Long monitor contention with owner
ControlHandler (10957) at boolean
android.hardware.camera2.impl.CameraDeviceImpl.configureStreamsChecked(android.hardware.camera2.params.In
java.util.List, int, android.hardware.camera2.CaptureRequest)(CameraDeviceImpl.java:514)
waiters=1 in void android.hardware.camera2.impl.CameraDeviceImpl.onDeviceError(int,
android.hardware.camera2.impl.CaptureResultExtras) for 235ms
02-07 23:56:22.396 10888 10957 E CAM_OneCameraImpl: handleMessage, msg.what = 6
02-07 23:56:22.396 10888 10957 D CAM_OneCameraImpl: onSessionConfigured E, mCameraState =
SESSION_CONFIGURE_FAILED
02-07 23:56:22.396 10888 10957 D CAM_OneCameraImpl: onSessionConfigured X
02-07 23:56:22.396 10888 10958 E CAM_OneCameraImpl: onConfigureFailed
02-07 23:56:22.396 10888 10958 E CAM_OneCameraImpl: doOpenCamera, onError, cameraId = 0,
camera = android.hardware.camera2.impl.CameraDeviceImpl@7565385, error = 4
02-07 23:56:22.396 10888 10957 D CAM_OneCameraImpl: closeCamera E mCameraState =
SESSION_CONFIGURE_FAILED
02-07 23:56:22.396 10888 10958 E CAM_CameraActivity: finish = false
02-07 23:56:22.396 10888 10957 D CAM_OneCameraImpl: closeCamera X
02-07 23:56:22.396 10888 10957 E CAM_OneCameraImpl: handleMessage, msg.what = 2
02-07 23:56:22.396 10888 10957 D CAM_OneCameraImpl: doCloseCamera E, mCameraState =
SESSION_CONFIGURE_FAILED
02-07 23:56:22.396 10888 10957 D CAM_OneCameraImpl: setCameraState mCameraState:
SESSION_CONFIGURE_FAILED -> CAMERA_CLOSING
02-07 23:56:22.404 1075 7929 I Camera3-Device: disconnectImpl: E
02-07 23:56:22.404 1075 7929 E Camera3-Device: Camera 0: disconnectImpl: Shutting down
in an error state
02-07 23:56:22.404 821 1396 I CHIUSECASE: [INFO ] chxperf.cpp:266 AcquirePerfLock()
Acquire perflock type: 1
02-07 23:56:22.404 821 1396 W CHIUSECASE: [WARN ] chxperf.cpp:497 AcquirePerfLock()
Acquire perflock failed
02-07 23:56:22.404 821 1396 W CHIUSECASE: [WARN ] chxperf.cpp:271 AcquirePerfLock()
Failed to acquire perflock type: 1
02-07 23:56:22.404 821 1396 I CHIUSECASE: [INFO ] chxextensionmodule.cpp:881
ExtendClose() [CHI_RC_DEBUG] Reset resource cost validation bypass 0
02-07 23:56:22.404 821 1396 I CHIUSECASE: [INFO ] chxextensionmodule.cpp:889
ExtendClose() Close Logical cameraId: 0 numPhysicalCameras: 1 CameraOpen Mask = 0x0
CameraClose Mask 0x3
02-07 23:56:22.407 842 1007 I libdisplayconfigqt: Register client name:
camxdisplay821 device client: 0xb4000078d1767960
02-07 23:56:22.408 842 1576 I SDM : ResourceImpl::SetMaxBandwidthMode: new
bandwidth mode=0
02-07 23:56:22.408 821 1396 I CHIUSECASE: [INFO ] chxextensionmodule.cpp:1080
GetCameraIdIndex() AppId => LogicalId:0 => 0
02-07 23:56:22.408 1075 7929 I CameraProviderManager: Camera device device@3.5/legacy/0
torch status is now AVAILABLE_OFF
02-07 23:56:22.408 1075 7929 I CameraService: onTorchStatusChangedLocked: Torch status
changed for cameraId=0, newStatus=1
02-07 23:56:22.409 1075 7929 I CameraProviderManager: Camera device device@3.5/legacy/1
torch status is now AVAILABLE_OFF
02-07 23:56:22.409 1075 7929 I CameraService: onTorchStatusChangedLocked: Torch status
```

```
changed for cameraId=1, newStatus=1
02-07 23:56:22.409 1075 7929 E CameraService: onTorchStatusChangedLocked: cannot get
torch status of camera 1: No such file or directory (-2)
02-07 23:56:22.409 1075 7929 I CameraProviderManager: Camera device device@3.5/legacy/2
torch status is now AVAILABLE_OFF
02-07 23:56:22.409 1075 7929 I CameraService: onTorchStatusChangedLocked: Torch status
changed for cameraId=2, newStatus=1
02-07 23:56:22.410 1075 7929 W ServiceManager: Permission failure:
android.permission.SYSTEM_CAMERA from uid=10172 pid=2168
02-07 23:56:22.410 1075 7929 W ServiceManager: Permission failure:
android.permission.SYSTEM_CAMERA from uid=10284 pid=8953
02-07 23:56:22.410 1075 7929 W ServiceManager: Permission failure:
android.permission.SYSTEM_CAMERA from uid=10285 pid=10888
02-07 23:56:22.411 1075 7929 I CameraProviderManager: Camera device device@3.5/legacy/3
torch status is now AVAILABLE_OFF
02-07 23:56:22.411 1075 7929 I CameraService: onTorchStatusChangedLocked: Torch status
changed for cameraId=3, newStatus=1
02-07 23:56:22.412 1075 7929 W ServiceManager: Permission failure:
android.permission.SYSTEM_CAMERA from uid=10172 pid=2168
02-07 23:56:22.412 1075 7929 W ServiceManager: Permission failure:
android.permission.SYSTEM_CAMERA from uid=10284 pid=8953
02-07 23:56:22.413 1075 7929 W ServiceManager: Permission failure:
android.permission.SYSTEM_CAMERA from uid=10285 pid=10888
02-07 23:56:22.413 821 1396 I CHIUSECASE: [INFO ] chxextensionmodule.cpp:1080
GetCameraIdIndex() AppId => LogicalId:0 => 0
02-07 23:56:22.413 821 1396 I CHIUSECASE: [INFO ] chxextensionmodule.cpp:1080
GetCameraIdIndex() AppId => LogicalId:0 => 0
02-07 23:56:22.414 1075 7929 I Camera3-Device: disconnectImpl: X
02-07 23:56:22.416 10888 10908 E CameraManagerGlobal: Camera 3 is not available. Ignore
physical camera status change
02-07 23:56:22.416 1449 2694 E CameraManagerGlobal: Camera 3 is not available. Ignore
physical camera status change
02-07 23:56:22.416 2168 7770 E CameraManagerGlobal: Camera 3 is not available. Ignore
physical camera status change
02-07 23:56:22.416 1075 7929 I CameraService: disconnect: Disconnected client for
camera 0 for PID 10888
02-07 23:56:22.417 8953 9029 E CameraManagerGlobal: Camera 3 is not available. Ignore
physical camera status change
02-07 23:56:22.419 10888 10958 E CAM_OneCameraImpl: doOpenCamera, onClosed, camera =
android.hardware.camera2.impl.CameraDeviceImpl@7565385
02-07 23:56:22.419 10888 10958 D CAM_OneCameraImpl: setCameraState mCameraState:
CAMERA_CLOSING -> CAMERA_CLOSED
02-07 23:56:22.420 10888 10888 V CAM_QuickActivity: START onPause: Activity =
com.android.camera.CameraActivity@80f57c3
02-07 23:56:22.420 10888 10957 E CAM_OneCameraImpl: doCloseCamera X
02-07 23:56:22.420 10888 10888 D CAM_CameraActivity: onPauseTasks
02-07 23:56:22.420 10888 10888 E CAM_AppController: onPause
02-07 23:56:22.420 10888 10888 D CAM_AppController: setCameraState, mCameraState:
PREVIEW_STOPPED->PREVIEW_STOPPED
02-07 23:56:22.421 10888 10957 E CAM_OneCameraImpl: handleMessage, msg.what = 4
02-07 23:56:22.421 10888 10888 D CAM_AppController: setCameraState, mCameraState:
PREVIEW_STOPPED->PREVIEW_STOPPED
02-07 23:56:22.421 10888 10957 D CAM_OneCameraImpl: doCloseCaptureSession E, mCameraState
= CAMERA_CLOSED
02-07 23:56:22.421 10888 10957 D CAM_OneCameraImpl: doCloseCaptureSession X
02-07 23:56:22.421 10888 10888 V CAM_LocationManager: stopping location updates
02-07 23:56:22.421 10888 10957 D CAM_OneCameraImpl: closeCamera E mCameraState =
CAMERA_CLOSED
02-07 23:56:22.421 10888 10957 D CAM_OneCameraImpl: closeCamera X
02-07 23:56:22.424 825 825 I LocSvc_GnssInterface: ==> stop line 297
02-07 23:56:22.424 825 990 I LocSvc_api_v02: ---> locClientSendReq line 2409
QMI_LOC_STOP_REQ_V02
02-07 23:56:22.424 825 990 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.425 825 1724 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.425 10888 10888 D CAM_LocationManager: stopReceivingLocationUpdates
02-07 23:56:22.426 832 832 I sensors-hal: activate:209, android.sensor.gyroscope/41
```

```
en=0
02-07 23:56:22.426 832 832 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.427 832 832 I chatty : uid=1000(system) sensors@2.0-ser identical 4
lines
02-07 23:56:22.427 832 832 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.427 3330 11945 V ULocation: onSetRequest:
ProviderRequest[interval=+1d0h0m0s0ms] by WorkSource{1000 android}
02-07 23:56:22.427 3330 11945 V ULocation: using autoUpdate=true autoTime=86400000
02-07 23:56:22.428 832 832 I sensors-hal: activate:220, android.sensor.gyroscope/41
en=0 completed
02-07 23:56:22.428 3330 3482 D ULocClient: Set update interval to 86400000
02-07 23:56:22.428 3330 3482 D ULocService: setUpdateInterval[com.google.android.gms]
interval: 86400000
02-07 23:56:22.428 3330 3482 D ULocService: Set merged location interval to 86400000
(com.google.android.gms:86400000ms)
02-07 23:56:22.428 3330 3482 D ULocClient: updateBinding - current: true, refs: 2,
reqs: 1, avail: true
02-07 23:56:22.429 832 832 I sensors-hal: activate:209, android.sensor.accelerometer/-
11 en=0
02-07 23:56:22.429 832 832 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.429 832 832 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.430 832 832 I sensors-hal: activate:220, android.sensor.accelerometer/-
11 en=0 completed
02-07 23:56:22.431 10888 10888 D CAM_CameraPreviewUI: pause, mPreviewCaptureRequests size
= 0
02-07 23:56:22.433 10888 12093 E libEGL : call to OpenGL ES API with no current context
(logged once per thread)
02-07 23:56:22.433 825 1724 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.433 825 1724 I LocSvc_ApiV02: <--- globalEventCb line 193
QMI_LOC_EVENT_ENGINE_STATE_IND_V02
02-07 23:56:22.433 825 1724 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.433 825 1724 I LocSvc_ApiV02: <--- globalEventCb line 193
QMI_LOC_EVENT_REPORT_IND_V02
02-07 23:56:22.433 825 1724 E LocSvc_ApiV02: reportLocEvent:3906] Loc event report: 0
KlobucharIonoMode_valid:0: leapSec_valid:1: tauC_valid:1 featureStatusReport_valid: 0
featureStatusReport: 0
02-07 23:56:22.434 10888 10888 D CAM_BaseModule: setPauseState, mPause = false -> true
02-07 23:56:22.434 10888 10888 V CAM_PhotoModule: pause
02-07 23:56:22.434 10888 10888 D CAM_ImageProcessManager: onPause
02-07 23:56:22.435 10888 12064 D CAM_ImageProcessManager: releaseProcessor,
mImageProcessMap size = 0
02-07 23:56:22.435 10888 10888 D CAM_CameraPreviewUI: releaseSurfaceTexture,
mSurfaceTexture = android.graphics.SurfaceTexture@b1245da, mPreviewSurface =
Surface{name=android.graphics.SurfaceTexture@b1245da}/@0x8ac5a0b
02-07 23:56:22.435 10888 12064 D CAM_ProcessorWrapper: finish mProcessorMap: {}
02-07 23:56:22.436 10888 10888 V CAM_QuickActivity: END onPause: Activity =
com.android.camera.CameraActivity@80f57c3
02-07 23:56:22.437 825 990 I LocSvc_api_v02: ---> locClientSendReq line 2409
QMI_LOC_REG_EVENTS_REQ_V02
02-07 23:56:22.437 825 990 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:56:22.450 10888 10888 E RecyclerView: No adapter attached; skipping layout
02-07 23:56:22.450 10888 10888 W CAM_ModeSwitcher: stereoGroup size is 3
02-07 23:56:22.450 10888 10888 W CAM_ModeSwitcher: mTransX is 335
02-07 23:56:22.461 3275 3275 D WeatherIconUtils: Decoding resource id = 2131230942 for
density = 440
02-07 23:56:22.479 1449 8629 E IntervalStats: Unable to parse usage stats package 175
02-07 23:56:22.479 1449 8629 E IntervalStats: Unable to parse usage stats package 193
02-07 23:56:22.479 1449 8629 E IntervalStats: Unable to parse usage stats package 203
02-07 23:56:22.479 1449 8629 E IntervalStats: Unable to parse usage stats package 223
02-07 23:56:22.479 1449 8629 E IntervalStats: Unable to parse usage stats package 246
02-07 23:56:22.479 1449 8629 E IntervalStats: Unable to parse usage stats package 251
02-07 23:56:22.482 1449 8629 E IntervalStats: Unable to parse usage stats package 251
02-07 23:56:22.482 1449 8629 E IntervalStats: Unable to parse usage stats package 253
02-07 23:56:22.482 1449 8629 E IntervalStats: Unable to parse usage stats package 260
02-07 23:56:22.482 1449 8629 E IntervalStats: Unable to parse usage stats package 261
02-07 23:56:22.482 1449 8629 E IntervalStats: Unable to parse usage stats package 283
```

```
02-07 23:56:22.486 1449 8629 E IntervalStats: Unable to parse usage stats package 292
02-07 23:56:22.486 1449 8629 E IntervalStats: Unable to parse usage stats package 293
02-07 23:56:22.486 1449 8629 E IntervalStats: Unable to parse usage stats package 294
02-07 23:56:22.486 1449 8629 E IntervalStats: Unable to parse usage stats package 298
02-07 23:56:22.486 1449 8629 E IntervalStats: Unable to parse usage stats package 299
02-07 23:56:22.486 1449 8629 E IntervalStats: Unable to parse usage stats package 301
02-07 23:56:22.486 1449 8629 E IntervalStats: Unable to parse usage stats package 310
02-07 23:56:22.486 1449 8629 E IntervalStats: Unable to parse usage stats package 311
02-07 23:56:22.486 1449 8629 E IntervalStats: Unable to parse usage stats package 317
02-07 23:56:22.486 1449 8629 E IntervalStats: Unable to parse usage stats package 318
02-07 23:56:22.486 1449 8629 E IntervalStats: Unable to parse usage stats package 320
02-07 23:56:22.486 1449 8629 E IntervalStats: Unable to parse usage stats package 323
02-07 23:56:22.489 1449 8629 E IntervalStats: Unable to parse usage stats package 323
02-07 23:56:22.489 1449 8629 E IntervalStats: Unable to parse usage stats package 331
02-07 23:56:22.489 1449 8629 E IntervalStats: Unable to parse usage stats package 332
02-07 23:56:22.489 1449 8629 E IntervalStats: Unable to parse usage stats package 333
02-07 23:56:22.489 1449 8629 E IntervalStats: Unable to parse usage stats package 392
02-07 23:56:22.503 1449 8629 E IntervalStats: Unable to parse usage stats package 323
02-07 23:56:22.503 1449 8629 E IntervalStats: Unable to parse usage stats package 403
02-07 23:56:22.506 1449 8629 E IntervalStats: Unable to parse usage stats package 323
02-07 23:56:22.506 1449 8629 E IntervalStats: Unable to parse usage stats package 406
02-07 23:56:22.506 1449 8629 E IntervalStats: Unable to parse usage stats package 407
02-07 23:56:22.541 1449 1463 W System : A resource failed to call release.
02-07 23:56:22.541 1449 1463 I chatty : uid=1000(system) FinalizerDaemon identical 3
lines
02-07 23:56:22.541 1449 1463 W System : A resource failed to call release.
02-07 23:56:22.554 3275 3275 D HorizontalPager: child is instance of insettable
02-07 23:56:22.873 10888 10888 V CAM_QuickActivity: START onStop: Activity =
com.android.camera.CameraActivity@80f57c3
02-07 23:56:22.873 10888 10888 D CAM_AppController: onStop
02-07 23:56:22.873 10888 10888 D CAM_LocationManager: disconnect
02-07 23:56:22.873 10888 10888 V CAM_QuickActivity: END onStop: Activity =
com.android.camera.CameraActivity@80f57c3
02-07 23:56:22.874 10888 10888 V CAM_QuickActivity: START onDestroy: Activity =
com.android.camera.CameraActivity@80f57c3
02-07 23:56:22.874 10888 10888 D CAM_CameraActivity: onDestroyTasks
02-07 23:56:22.874 10888 10888 D CAM_AppController: onDestroy
02-07 23:56:22.878 2144 2750 D Avrcp_ext: AudioManager Player:
AudioPlaybackConfiguration piid:23 type:android.media.SoundPool u/pid:10172/2168
state:idle attr:AudioAttributes: usage=USAGE_ASSISTANCE_SONIFICATION
content=CONTENT_TYPE_SONIFICATION flags=0x800 tags= bundle=null
02-07 23:56:22.878 2144 2750 D Avrcp_ext: AudioManager Player:
AudioPlaybackConfiguration piid:327 type:android.media.MediaPlayer u/pid:10189/4798
state:idle attr:AudioAttributes: usage=USAGE_ALARM content=CONTENT_TYPE_SONIFICATION
flags=0x800 tags= bundle=null
02-07 23:56:22.878 2144 2750 D Avrcp_ext: AudioManager Player:
AudioPlaybackConfiguration piid:15 type:android.media.SoundPool u/pid:1000/1449
state:idle attr:AudioAttributes: usage=USAGE_ASSISTANCE_SONIFICATION
content=CONTENT_TYPE_SONIFICATION flags=0x800 tags= bundle=null
02-07 23:56:22.878 2144 2750 D Avrcp_ext: AudioManager Player:
AudioPlaybackConfiguration piid:127 type:android.media.SoundPool u/pid:10112/9265
state:idle attr:AudioAttributes: usage=USAGE_ASSISTANCE_SONIFICATION
content=CONTENT_TYPE_SONIFICATION flags=0x801 tags= bundle=null
02-07 23:56:22.879 2144 2750 D Avrcp_ext: AudioManager isPlaying: false
02-07 23:56:22.881 10888 10888 D CAM_ImageProcessManager: onDestroy
02-07 23:56:22.881 10888 10888 D CAM_RenderScriptBlur: destroy
02-07 23:56:22.882 10888 10888 V CAM_QuickActivity: END onDestroy: Activity =
com.android.camera.CameraActivity@80f57c3
02-07 23:56:25.253 818 818 D audio_hw_primary: out_standby: enter: stream
(0xf4400010) usecase(1: low-latency-playback)
02-07 23:56:25.067 0 0 I [aw882xx_smartpa_l]aw882xx_mute: mute state=1
02-07 23:56:25.067 0 0 I [aw882xx_smartpa_l]aw882xx_smartpa_cfg: flag = 0, power
status = 2
02-07 23:56:25.067 0 0 D [aw882xx_smartpa_l]aw882xx_stop: enter
02-07 23:56:25.067 0 0 I [aw882xx_smartpa_l]aw882xx_monitor_stop: enter
02-07 23:56:25.068 0 0 I [aw882xx_smartpa_l]aw882xx_stop: get_sysint=0x0000
```



```
02-07 23:56:25.069 0 0 D [aw882xx_smartpa_l]aw882xx_run_mute: enter
02-07 23:56:25.069 0 0 D [aw882xx_smartpa_l]aw882xx_set_volume: value 1 , 0x1
02-07 23:56:25.071 0 0 D [aw882xx_smartpa_l]aw882xx_set_volume: value 13 , 0x11
02-07 23:56:25.074 0 0 D [aw882xx_smartpa_l]aw882xx_set_volume: value 25 , 0x21
02-07 23:56:25.076 0 0 D [aw882xx_smartpa_l]aw882xx_set_volume: value 37 , 0x31
02-07 23:56:25.078 0 0 D [aw882xx_smartpa_l]aw882xx_set_volume: value 49 , 0x41
02-07 23:56:25.081 0 0 D [aw882xx_smartpa_l]aw882xx_set_volume: value 61 , 0x51
02-07 23:56:25.083 0 0 D [aw882xx_smartpa_l]aw882xx_set_volume: value 73 , 0x61
02-07 23:56:25.085 0 0 D [aw882xx_smartpa_l]aw882xx_set_volume: value 85 , 0x71
02-07 23:56:25.087 0 0 D [aw882xx_smartpa_l]aw882xx_set_volume: value 97 , 0x81
02-07 23:56:25.089 0 0 D [aw882xx_smartpa_l]aw882xx_set_volume: value 109 , 0x91
02-07 23:56:25.091 0 0 D [aw882xx_smartpa_l]aw882xx_set_volume: value 121 , 0xa1
02-07 23:56:25.094 0 0 D [aw882xx_smartpa_l]aw882xx_set_volume: value 133 , 0xb1
02-07 23:56:25.096 0 0 D [aw882xx_smartpa_l]aw882xx_set_volume: value 145 , 0xc1
02-07 23:56:25.098 0 0 D [aw882xx_smartpa_l]aw882xx_set_volume: value 157 , 0xd1
02-07 23:56:25.100 0 0 D [aw882xx_smartpa_l]aw882xx_set_volume: value 169 , 0xe1
02-07 23:56:25.102 0 0 D [aw882xx_smartpa_l]aw882xx_set_volume: value 180 , 0xf0
02-07 23:56:25.103 0 0 D [aw882xx_smartpa_l]aw882xx_run_i2s_tx: enter
02-07 23:56:25.104 0 0 D [aw882xx_smartpa_l]aw882xx_run_pwd: enter
02-07 23:56:25.104 0 0 I [aw882xx_smartpa_r]aw882xx_mute: mute state=1
02-07 23:56:25.104 0 0 I [aw882xx_smartpa_r]aw882xx_smartpa_cfg: flag = 0, power
status = 2
02-07 23:56:25.104 0 0 D [aw882xx_smartpa_r]aw882xx_stop: enter
02-07 23:56:25.104 0 0 I [aw882xx_smartpa_r]aw882xx_monitor_stop: enter
02-07 23:56:25.105 0 0 I [aw882xx_smartpa_r]aw882xx_stop: get_sysint=0x0000
02-07 23:56:25.105 0 0 D [aw882xx_smartpa_r]aw882xx_run_mute: enter
02-07 23:56:25.105 0 0 D [aw882xx_smartpa_r]aw882xx_set_volume: value 1 , 0x1
02-07 23:56:25.108 0 0 D [aw882xx_smartpa_r]aw882xx_set_volume: value 13 , 0x11
02-07 23:56:25.110 0 0 D [aw882xx_smartpa_r]aw882xx_set_volume: value 25 , 0x21
02-07 23:56:25.112 0 0 D [aw882xx_smartpa_r]aw882xx_set_volume: value 37 , 0x31
02-07 23:56:25.114 0 0 D [aw882xx_smartpa_r]aw882xx_set_volume: value 49 , 0x41
02-07 23:56:25.116 0 0 D [aw882xx_smartpa_r]aw882xx_set_volume: value 61 , 0x51
02-07 23:56:25.119 0 0 D [aw882xx_smartpa_r]aw882xx_set_volume: value 73 , 0x61
02-07 23:56:25.121 0 0 D [aw882xx_smartpa_r]aw882xx_set_volume: value 85 , 0x71
02-07 23:56:25.123 0 0 D [aw882xx_smartpa_r]aw882xx_set_volume: value 97 , 0x81
02-07 23:56:25.125 0 0 D [aw882xx_smartpa_r]aw882xx_set_volume: value 109 , 0x91
02-07 23:56:25.128 0 0 D [aw882xx_smartpa_r]aw882xx_set_volume: value 121 , 0xa1
02-07 23:56:25.130 0 0 D [aw882xx_smartpa_r]aw882xx_set_volume: value 133 , 0xb1
02-07 23:56:25.132 0 0 D [aw882xx_smartpa_r]aw882xx_set_volume: value 145 , 0xc1
02-07 23:56:25.134 0 0 D [aw882xx_smartpa_r]aw882xx_set_volume: value 157 , 0xd1
02-07 23:56:25.137 0 0 D [aw882xx_smartpa_r]aw882xx_set_volume: value 169 , 0xe1
02-07 23:56:25.139 0 0 D [aw882xx_smartpa_r]aw882xx_set_volume: value 180 , 0xf0
02-07 23:56:25.140 0 0 D [aw882xx_smartpa_r]aw882xx_run_i2s_tx: enter
02-07 23:56:25.140 0 0 D [aw882xx_smartpa_r]aw882xx_run_pwd: enter
02-07 23:56:25.150 0 0 I afe_close: port_id = 0x1016
02-07 23:56:25.340 818 818 D audio_hw_primary: disable_audio_route: reset and update
mixer path: low-latency-playback
02-07 23:56:25.342 818 818 E soundtrigger:
audio_extn_sound_trigger_update_stream_status: invalid input device 0x0, for event 2
02-07 23:56:25.342 818 818 D soundtrigger:
audio_extn_sound_trigger_update_stream_status: uc_info->id 1 of type 0 for Event 2, with
Raise=0
02-07 23:56:25.343 818 818 D msm8974_platform: platform_split_snd_device:
snd_device(2) num devices(0) new_snd_devices(0)
02-07 23:56:25.343 818 818 I msm8974_platform: platform_get_custom_mtmx_params: no
matching param with id 0 ip_ch 2 op_ch 2 uc_id 1 snd_dev 2
02-07 23:56:25.343 818 818 D hardware_info: hw_info_append_hw_type : device_name =
speaker
02-07 23:56:25.343 818 818 D audio_hw_primary: disable_snd_device: snd_device(2:
speaker)
02-07 23:56:25.343 818 818 D msm8974_platform: platform_split_snd_device:
snd_device(2) num devices(0) new_snd_devices(0)
02-07 23:56:25.343 818 818 E audio_hw_awinic_feedback:
is_supported_feedback_on_device [Awinic] 2
02-07 23:56:25.343 818 818 E audio_hw_awinic_feedback:
is_supported_feedback_on_device [Awinic] snd_device_out id 2 is supported iv feedback or
```

```
not(1)
02-07 23:56:25.157    0    0 I [aw882xx_smartpa_l]aw882xx_mute: mute state=1
02-07 23:56:25.157    0    0 I [aw882xx_smartpa_r]aw882xx_mute: mute state=1
02-07 23:56:25.159    0    0 I afe_close: port_id = 0x1017
02-07 23:56:25.352  818  818 D hardware_info: hw_info_append_hw_type : device_name = vi-
feedback
02-07 23:56:25.353  818  818 D audio_hw_primary: disable_snd_device: snd_device(218: vi-
feedback)
02-07 23:56:25.353  818  818 D msm8974_platform: platform_split_snd_device:
snd_device(218) num devices(0) new_snd_devices(0)
02-07 23:56:25.353  818  818 E audio_hw_awinic_feedback:
is_supported_feedback_on_device [Awinic] 218
02-07 23:56:25.353  818  818 E audio_hw_awinic_feedback:
is_supported_feedback_on_device [Awinic] snd_device_out id 218 is supported iv feedback
or not(0)
02-07 23:56:25.353  818  818 I soundtrigger:
audio_extn_sound_trigger_update_device_status: device 0xda of type 1 for Event 0, with
Raise=0
02-07 23:56:25.353  818  818 D audio_hw_primary: disable_audio_route: reset and update
mixer path: spkr-vi-record
02-07 23:56:25.354  818  818 D soundtrigger:
audio_extn_sound_trigger_update_stream_status: uc_info->id 53 of type 1 for Event 2, with
Raise=0
02-07 23:56:25.356  818  818 I soundtrigger:
audio_extn_sound_trigger_update_device_status: device 0x2 of type 0 for Event 0, with
Raise=0
02-07 23:56:25.357  818  818 D audio_hw_primary: out_standby: exit
02-07 23:56:25.169    0    0 D [aw882xx_smartpa_r]aw882xx_pa_switch_get:
aw882xx_pa_switch=0
02-07 23:56:25.170    0    0 D [aw882xx_smartpa_r]aw882xx_pa_switch_set: ucontrol-
>value.integer.value[0]=1
02-07 23:56:25.170    0    0 D [aw882xx_smartpa_l]aw882xx_pa_switch_get:
aw882xx_pa_switch=0
02-07 23:56:25.171    0    0 D [aw882xx_smartpa_l]aw882xx_pa_switch_set: ucontrol-
>value.integer.value[0]=1
02-07 23:56:25.360 1449 8629 I system_server: oneway function results will be dropped
but finished with status OK and parcel size 4
02-07 23:56:25.654    0    0 E QG-K : process_udata_work: userspace write rbat=113,
esr=75
02-07 23:56:27.118 1167 2063 D BufferPoolAccessor2.0: bufferpool2 0xb4000079151bc248 :
0(0 size) total buffers - 0(0 size) used buffers - 45/49 (recycle/alloc) - 4/48 (fetch/-
transfer)
02-07 23:56:27.118 1167 2063 D BufferPoolAccessor2.0: evictor expired: 6, evicted: 1
02-07 23:56:27.165 10888 10954 D BufferPoolAccessor2.0: bufferpool2 0xb400006fca003c18 :
0(0 size) total buffers - 0(0 size) used buffers - 0/7 (recycle/alloc) - 6/102 (fetch/-
transfer)
02-07 23:56:27.166 10888 10954 D BufferPoolAccessor2.0: bufferpool2 0xb400006fca00f518 :
0(0 size) total buffers - 0(0 size) used buffers - 1/7 (recycle/alloc) - 6/64 (fetch/-
transfer)
02-07 23:56:27.166 10888 10954 D BufferPoolAccessor2.0: evictor expired: 8, evicted: 2
02-07 23:56:27.514 1075 9415 I Camera3-Device: disconnectImpl: E
02-07 23:56:27.514 1075 9415 I Camera2ClientBase: Closed Camera 0. Client was:
com.fp.camera (PID 10888, UID 10285)
02-07 23:56:27.514 1075 9415 I Camera3-Device: disconnectImpl: E
02-07 23:56:27.516 10888 10904 W System : A resource failed to call dispose.
02-07 23:56:27.863    0    0 E QCOM-STEPCHG: handle_jeita: handle_jeita ,temp:220,
fcc_ua:4296000
02-07 23:56:27.863    0    0 E QCOM-STEPCHG: handle_jeita: handle_jeita ,FCC vote
chg_disable_votable:false
02-07 23:56:27.863    0    0 E QCOM-STEPCHG: handle_vbatt_limit: vbatt-4018475 lower or
rc-0, restored
02-07 23:56:27.885    0    0 W healthd : battery l=66 v=4018 t=22.0 h=2 st=2 c=265197
fc=3916000 cc=2 chg=u
02-07 23:56:28.119 1167 2063 D BufferPoolAccessor2.0: bufferpool2 0xb4000079151b8628 :
0(0 size) total buffers - 0(0 size) used buffers - 28/30 (recycle/alloc) - 3/29 (fetch/-
transfer)
```

```
02-07 23:56:28.119 1167 2063 D BufferPoolAccessor2.0: bufferpool2 0xb4000079151b8f68 :
0(0 size) total buffers - 0(0 size) used buffers - 38/42 (recycle/alloc) - 4/41 (fetch/-
transfer)
02-07 23:56:28.119 1167 2063 D BufferPoolAccessor2.0: bufferpool2 0xb4000079151b1728 :
0(0 size) total buffers - 0(0 size) used buffers - 45/47 (recycle/alloc) - 2/46 (fetch/-
transfer)
02-07 23:56:28.119 1167 2063 D BufferPoolAccessor2.0: bufferpool2 0xb4000079151bd028 :
0(0 size) total buffers - 0(0 size) used buffers - 28/30 (recycle/alloc) - 2/29 (fetch/-
transfer)
02-07 23:56:28.119 1167 2063 D BufferPoolAccessor2.0: evictor expired: 5, evicted: 4
02-07 23:56:28.189 10888 10954 D BufferPoolAccessor2.0: bufferpool2 0xb400006fca00d958 :
0(0 size) total buffers - 0(0 size) used buffers - 2/7 (recycle/alloc) - 9/88 (fetch/-
transfer)
02-07 23:56:28.189 10888 10954 D BufferPoolAccessor2.0: bufferpool2 0xb400006fca005338 :
0(0 size) total buffers - 0(0 size) used buffers - 2/7 (recycle/alloc) - 9/64 (fetch/-
transfer)
02-07 23:56:28.189 10888 10954 D BufferPoolAccessor2.0: bufferpool2 0xb400006fca001968 :
0(0 size) total buffers - 0(0 size) used buffers - 2/7 (recycle/alloc) - 5/98 (fetch/-
transfer)
02-07 23:56:28.189 10888 10954 D BufferPoolAccessor2.0: bufferpool2 0xb400006fca005c78 :
0(0 size) total buffers - 0(0 size) used buffers - 0/5 (recycle/alloc) - 1/2 (fetch/-
transfer)
02-07 23:56:28.189 10888 10954 D BufferPoolAccessor2.0: evictor expired: 4, evicted: 4
02-07 23:56:36.240 688 11834 W resolv : SSL_connect write error 0, mark 0xf007b: Try
again
02-07 23:56:36.241 688 11834 W resolv : Validation failed
02-07 23:56:36.055 0 0 W healthd : battery l=66 v=4013 t=22.0 h=2 st=2 c=192260
fc=3916000 cc=2 chg=u
02-07 23:56:36.248 688 11833 W resolv : SSL_connect write error 0, mark 0xf007b: Try
again
02-07 23:56:36.249 688 11833 W resolv : Validation failed
02-07 23:56:44.189 0 0 E QCOM-STEPCHG: handle_jeita: handle_jeita ,temp:220,
fcc_ua:4296000
02-07 23:56:44.189 0 0 E QCOM-STEPCHG: handle_jeita: handle_jeita ,FCC vote
chg_disable_votable:false
02-07 23:56:44.189 0 0 E QCOM-STEPCHG: handle_vbatt_limit: vbatt-4018864 lower or
rc-0, restored
02-07 23:56:44.223 0 0 W healthd : battery l=66 v=4018 t=22.0 h=2 st=2 c=257873
fc=3916000 cc=2 chg=u
02-07 23:56:49.432 0 0 W healthd : battery l=66 v=4020 t=22.1 h=2 st=2 c=242920
fc=3916000 cc=2 chg=u
02-07 23:56:52.368 0 0 W healthd : battery l=66 v=4020 t=22.1 h=2 st=2 c=263977
fc=3916000 cc=2 chg=u
02-07 23:56:52.998 0 0 E [SMBLIB5]: usb_source_change_irq_handler: IRQ:
APSD STATUS_REG=0x11
02-07 23:56:52.998 0 0 E [SMBLIB5]: usb_source_change_irq_handler: sleeping with
psy:4
02-07 23:56:52.999 0 0 E [PE] : start_usb_peripheral: start usb peripheral
with cc=2
02-07 23:56:53.018 0 0 W healthd : battery l=66 v=4018 t=22.1 h=2 st=2 c=254516
fc=3916000 cc=2 chg=u
02-07 23:56:53.033 0 0 W healthd : battery l=66 v=4018 t=22.1 h=2 st=2 c=254516
fc=3916000 cc=2 chg=u
02-07 23:56:53.107 0 0 I IRQ 5 : no longer affine to CPU4
02-07 23:57:00.012 2168 2168 D KeyguardClockSwitch: Updating clock: 23:57
02-07 23:57:00.516 0 0 E QCOM-STEPCHG: handle_jeita: handle_jeita ,temp:222,
fcc_ua:4296000
02-07 23:57:00.516 0 0 E QCOM-STEPCHG: handle_jeita: handle_jeita ,FCC vote
chg_disable_votable:false
02-07 23:57:00.516 0 0 E QCOM-STEPCHG: handle_vbatt_limit: vbatt-4021395 lower or
rc-0, restored
02-07 23:57:00.534 0 0 W healthd : battery l=66 v=4021 t=22.2 h=2 st=2 c=265197
fc=3916000 cc=2 chg=u
02-07 23:57:08.309 904 904 I vendor.rmt_storage: rmt_storage_connect_cb: clnt_h=0x30
conn_h=0xb40000757e447050
02-07 23:57:08.310 904 904 I vendor.rmt_storage: rmt_storage_rw_iovec_cb: /boot/
```

```
modem_fs2: req_h=0x30 msg_id=3: R/W request received (wr_count 40)
02-07 23:57:08.310 904 904 I vendor.rmt_storage: wakelock acquired: 1, error no: 11
02-07 23:57:08.124 0 0 I rmt_storage: INFO:rmt_storage_rw_iovec_cb: Write iovect
request (req_h 0x30 wr_count 40) received for /boot/modem_fs2
02-07 23:57:08.310 904 1482 I vendor.rmt_storage: rmt_storage_client_thread: /boot/-
modem_fs2: Unblock worker thread (th_id: 504336526528)
02-07 23:57:08.125 0 0 I rmt_storage: INFO:rmt_storage_client_thread: Calling
Write [offset=0, size=6291456, req_h 0x30, wr_count 40] for /boot/modem_fs2!
02-07 23:57:08.417 904 1482 I vendor.rmt_storage: rmt_storage_client_thread: /boot/-
modem_fs2: req_h=0x30 msg_id=3: Bytes written = 6291456, wr_count 40
02-07 23:57:08.417 904 1482 I vendor.rmt_storage: rmt_storage_client_thread: /boot/-
modem_fs2: req_h=0x30 msg_id=3: Send response: res=0 err=0, wr_count 40
02-07 23:57:08.417 904 1482 I vendor.rmt_storage: rmt_storage_client_thread: /boot/-
modem_fs2: About to block rmt_storage client thread (th_id: 504336526528) wakelock
released: 1, error no: 0
02-07 23:57:08.417 904 1482 I vendor.rmt_storage:
02-07 23:57:08.419 904 904 I vendor.rmt_storage: rmt_storage_disconnect_cb:
clnt h=0x30 conn h=0xb40000757e447050
02-07 23:57:08.231 0 0 I rmt_storage: INFO:rmt_storage_client_thread: Done Write
(bytes = 6291456, req_h 0x30, wr_count 40) for /boot/modem_fs2!
02-07 23:57:08.705 0 0 W healthd : battery l=66 v=4020 t=22.2 h=2 st=2 c=204773
fc=3916000 cc=2 chg=u
02-07 23:57:14.930 1449 1602 V DisplayPowerController: Brightness [0.05] reason
changing to: 'manual [ dim ]', previous reason: 'manual'.
02-07 23:57:16.841 0 0 E QCOM-STEPCHG: handle_jeita: handle_jeita ,temp:222,
fcc_ua:4296000
02-07 23:57:16.841 0 0 E QCOM-STEPCHG: handle_jeita: handle_jeita ,FCC vote
chg_disable_votable:false
02-07 23:57:16.841 0 0 E QCOM-STEPCHG: handle_vbatt_limit: vbatt-4029764 lower or
rc-0, restored
02-07 23:57:16.854 0 0 W healthd : battery l=66 v=4029 t=22.2 h=2 st=2 c=352478
fc=3916000 cc=2 chg=u
02-07 23:57:22.449 1449 1602 I PowerManagerService: Going to sleep due to timeout (uid
1000)...
02-07 23:57:22.461 2168 2647 D KeyguardViewMediator: onStartGoingToSleep(3)
02-07 23:57:22.475 2168 2647 D KeyguardViewMediator: setting alarm to turn off
keyguard, seq = 31
02-07 23:57:22.477 2168 2647 D KeyguardViewMediator: notifyStartedGoingToSleep
02-07 23:57:22.483 2168 2168 D KeyguardViewMediator: handleNotifyStartedGoingToSleep
02-07 23:57:22.505 1449 1602 V DisplayPowerController: Brightness [0.39763778] reason
changing to: 'manual', previous reason: 'manual [ dim ]'.
02-07 23:57:22.926 1449 1602 I DisplayPowerController: Blocking screen off
02-07 23:57:22.928 1449 1602 I DisplayPowerController: Unblocked screen off after 2 ms
02-07 23:57:22.931 1449 1602 D ActivityTaskManager: Top Process State changed to
PROCESS_STATE_TOP_SLEEPING
02-07 23:57:22.982 1449 1598 E KernelCpuSpeedReader: Failed to read cpu-freq: /sys/-
devices/system/cpu/cpu6/cpufreq/stats/time_in_state: open failed: ENOENT (No such file or
directory)
02-07 23:57:22.982 1449 1598 E KernelCpuSpeedReader: Failed to read cpu-freq: /sys/-
devices/system/cpu/cpu0/cpufreq/stats/time_in_state: open failed: ENOENT (No such file or
directory)
02-07 23:57:23.051 2168 2647 D KeyguardViewMediator: notifyScreenTurnedOff
02-07 23:57:23.051 832 832 I sensors-hal: activate:209,
android.sensor.device_orientation/272 en=0
02-07 23:57:23.051 832 832 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:57:23.051 832 832 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:57:23.051 2168 2168 D KeyguardViewMediator: handleNotifyScreenTurnedOff
02-07 23:57:23.052 832 832 I sensors-hal: activate:220,
android.sensor.device_orientation/272 en=0 completed
02-07 23:57:23.055 1449 1602 V DisplayPowerController: Brightness [-1.0] reason
changing to: 'screen_off', previous reason: 'manual'.
02-07 23:57:23.058 893 893 D SurfaceFlinger: Setting power mode 0 on display
19261157060303233
02-07 23:57:23.059 842 1007 D IRIS_LOG_SERV: SetPowerMode-0,0
02-07 23:57:23.059 842 1007 D IRIS_LOG_SERV: SetPowerMode-0,mIrisServiceMode:1
02-07 23:57:23.059 842 1007 D IRIS_LOG_SERV: panel off need to switch bypass
```

```
02-07 23:57:23.059 842 1007 D IRIS_LOG_SERV: send panel brightness: 0
02-07 23:57:23.063 842 1007 D IRIS_LOG_SERV: SetPowerMode: mSdrInfoIndex:0
mHDRSwitch:0 mode:0
02-07 23:57:23.063 842 1007 I SDM : DisplayBase::SetDisplayState: Set state = 0,
display 29-0, teardown = 0
02-07 23:57:22.881 0 0 I : [HXTTP] in
02-07 23:57:22.881 0 0 I : [HXTTP] FB event:2,blank:1
02-07 23:57:22.881 0 0 I [HXTTP] himax_common_suspend: enter
02-07 23:57:22.881 0 0 I [HXTTP] himax_chip_common_suspend: enter
02-07 23:57:22.881 0 0 I [HXTTP] himax_int_enable: Entering!
02-07 23:57:22.881 0 0 I : [HXTTP] enable = 0
02-07 23:57:22.881 0 0 I [HXTTP] himax_chip_common_suspend: END
02-07 23:57:23.073 1449 1559 I DisplayManagerService: Display device changed state:
"Écran intégré", OFF
02-07 23:57:23.078 1449 1559 I InputManager-JNI: Viewport [0] to add: local:-
19261157060303233, isActive: false
02-07 23:57:23.079 1449 2002 I InputReader: Reconfiguring input devices,
changes=DISPLAY_INFO |
02-07 23:57:23.079 1449 2002 I InputReader: Device reconfigured: id=4, name='himax-
touchscreen', size 1080x2340, orientation 0, mode 1, display id 0
02-07 23:57:23.079 2144 2515 I BtGatt.ScanManager: msg.what = 8
02-07 23:57:23.080 2144 2515 I BtGatt.ScanManager: msg.what = 4
02-07 23:57:23.089 1270 1491 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:57:23.091 1270 1432 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:57:23.093 1292 1660 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:57:23.094 1292 1430 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:57:23.094 1270 1432 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:57:23.096 1292 1430 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:57:23.096 1270 1432 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:57:23.097 1292 1430 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:57:23.097 1270 1432 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:57:23.099 1270 1432 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:57:23.099 1292 1430 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:57:23.099 1270 1505 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:57:23.100 1292 1430 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:57:23.100 1270 1505 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:57:23.102 1270 1505 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:57:23.102 1292 1689 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:57:23.102 1270 1505 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:57:23.103 1292 1689 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:57:23.011 0 0 I IRQ 5 : no longer affine to CPU4
02-07 23:57:23.052 0 0 I : [HXTTP] in
02-07 23:57:23.052 0 0 I : [HXTTP] FB event:1,blank:1
02-07 23:57:23.052 0 0 I [HXTTP] suspend: event = 1, not care
02-07 23:57:23.105 1292 1689 E QMI_FW : qmi_cci_get_ref: ref count increased 2
02-07 23:57:23.238 893 893 D SurfaceFlinger: Finished setting power mode 0 on display
19261157060303233
02-07 23:57:23.239 1449 2131 D SurfaceControl: Excessive delay in setPowerMode()
02-07 23:57:23.241 831 831 I android.hardware.power-service-qt: Power setMode: 7 to:
0
02-07 23:57:23.241 1449 1602 I DreamManagerService: Entering dreamland.
02-07 23:57:23.242 831 831 E QTI PowerHAL: Failed to acquire lock for hint_id: 1040.
02-07 23:57:23.242 1449 1602 I PowerManagerService: Dozing...
02-07 23:57:23.242 831 831 I QTI PowerHAL: Hint not handled in
set_interactive_override
02-07 23:57:23.246 1449 1556 I DreamController: Starting dream:
name=ComponentInfo{com.android.systemui/com.android.systemui.doze.DozeService},
isTest=false, canDoze=true, userId=0
02-07 23:57:23.247 2168 2168 V ShadeControllerImpl: NotificationShadeWindow:
com.android.systemui.statusbar.phone.NotificationShadeWindowView{499f020
I.E..... ID 0,0-1080,2340} canPanelBeCollapsed(): false
02-07 23:57:23.250 1449 1556 D AutofillManagerService: Close system dialogs
02-07 23:57:23.280 2168 2168 D StatusBar: updateQsExpansionEnabled - QS Expand enabled:
false
02-07 23:57:23.281 565 565 I hw servicemanager: getTransport: Cannot find entry
vendor.lineage.trust@1.0::IUsbRestrict/default in either framework or device manifest.
```

```
02-07 23:57:23.283 2168 2542 D KeyguardViewMediator:
updateActivityLockScreenState(false, true)
02-07 23:57:23.290 2168 2168 D StatusBar: updateQsExpansionEnabled - QS Expand enabled:
false
02-07 23:57:23.302 2168 2168 D StatusBar: updateQsExpansionEnabled - QS Expand enabled:
false
02-07 23:57:23.315 2168 2168 D StatusBar: disable<e i a s b h r c s > disable2<q i n >
02-07 23:57:23.318 2168 2168 D StatusBar: disable<e i a s b h r c s > disable2<q i n >
02-07 23:57:23.326 2168 2640 D KeyguardViewMediator: onFinishGoingToSleep(3)
02-07 23:57:23.326 2168 2640 D KeyguardViewMediator: notifyFinishedGoingToSleep
02-07 23:57:23.341 818 818 D audio_hw_primary: adev_set_parameters: enter:
screen_state=off
02-07 23:57:23.342 818 818 D audio_hw_hfp: hfp_set_parameters: enter
02-07 23:57:23.342 818 818 D sound_trigger_hw: handle_screen_status_change: screen off
02-07 23:57:23.342 818 818 D audio_hw_extn: audio_extn_fm_set_parameters: Enter
02-07 23:57:23.343 2168 2168 D StatusBar: disable<e i a s b h r c s > disable2<q i n >
02-07 23:57:23.344 2168 2168 W View : requestLayout() improperly called by
com.android.keyguard.CarrierText{7881804 V.ED.....ID 44,0-395,110 #7f0a0274 app:id/-
keyguard_carrier_text} during layout: running second layout pass
02-07 23:57:23.373 2168 2168 D KeyguardViewMediator: handleNotifyFinishedGoingToSleep
02-07 23:57:23.376 2168 2168 D StatusBar: disable<e i a s b h r c s > disable2<q i n >
02-07 23:57:23.397 1449 1559 V WindowManager: Orientation start waiting for draw,
mDrawState=DRAW_PENDING in Window{4bb86ac u0 NotificationShade}, surfaceController
Surface(name=NotificationShade)/@0x9a89d57
02-07 23:57:23.377 2168 2168 I chatty : uid=10172(com.android.systemui) identical 2
lines
02-07 23:57:23.377 2168 2168 D StatusBar: disable<e i a s b h r c s > disable2<q i n >
02-07 23:57:23.411 3218 3218 D NfcService: MSG_APPLY_SCREEN_STATE 1
02-07 23:57:23.411 3275 3275 D DeviceStatusService: onDisplayOff: Cancel pending update
02-07 23:57:23.421 10528 10528 D EventBus: No subscribers registered for event class
o.AG$con
02-07 23:57:23.421 10528 10528 D EventBus: No subscribers registered for event class o.bVh
02-07 23:57:25.021 0 0 W healthd : battery l=66 v=4043 t=22.2 h=2 st=2 c=486450
fc=3916000 cc=2 chg=u
02-07 23:57:27.475 2168 2168 D KeyguardViewMediator: received DELAYED_KEYGUARD_ACTION
with seq = 31, mDelayedShowingSequence = 31
02-07 23:57:27.485 2168 2168 D KeyguardViewMediator: doKeyguard: showing the lock screen
02-07 23:57:27.485 2168 2168 D KeyguardViewMediator: showLocked
02-07 23:57:27.493 2168 2168 D KeyguardViewMediator: handleShow
02-07 23:57:27.494 565 565 I hw servicemanager: getTransport: Cannot find entry
vendor.lineage.trust@1.0.:IUsbRestrict/default in either framework or device manifest.
02-07 23:57:27.498 2168 2542 D KeyguardViewMediator:
updateActivityLockScreenState(true, true)
02-07 23:57:27.503 2168 2168 D StatusBar: disable<e i a s b h r c s > disable2<q i n >
02-07 23:57:27.504 2168 2168 I chatty : uid=10172(com.android.systemui) identical 2
lines
02-07 23:57:27.504 2168 2168 D StatusBar: disable<e i a s b h r c s > disable2<q i n >
02-07 23:57:27.506 2168 2168 D KeyguardViewMediator: adjustStatusBarLocked:
mShowing=true mOccluded=false isSecure=false force=false --> flags=0x1200000
02-07 23:57:27.519 2168 2168 D KeyguardUpdateMonitor: onKeyguardVisibilityChanged(true)
02-07 23:57:27.521 2168 2168 D KeyguardClockSwitch: Updating clock: 23:57
02-07 23:57:27.526 2168 2168 D KeyguardViewMediator: adjustStatusBarLocked:
mShowing=true mOccluded=false isSecure=false force=false --> flags=0x1200000
02-07 23:57:27.542 2168 2168 D StatusBar: disable<e i a s b H!R!c s > disable2<q i n >
02-07 23:57:27.933 1449 1559 W ActivityTaskManager: Sleep timeout! Sleeping now.
02-07 23:57:29.559 0 0 E QG-K : process_uadata_work: userspace write rbat=112,
esr=75
02-07 23:57:33.167 0 0 E QCOM-STEPCHG: handle_jeita: handle_jeita ,temp:222,
fcc_ua:4296000
02-07 23:57:33.167 0 0 E QCOM-STEPCHG: handle_jeita: handle_jeita ,FCC vote
chg_disable_votable:false
02-07 23:57:33.168 0 0 E QCOM-STEPCHG: handle_vbatt_limit: vbatt-4044751 lower or
rc-0, restored
02-07 23:57:33.183 0 0 W healthd : battery l=66 v=4044 t=22.2 h=2 st=2 c=485840
fc=3916000 cc=2 chg=u
02-07 23:57:41.354 0 0 W healthd : battery l=66 v=4043 t=22.2 h=2 st=2 c=473327
```

```
fc=3916000 cc=2 chg=u
02-07 23:57:49.433 0 0 W healthd : battery l=66 v=4047 t=22.2 h=2 st=2 c=483398
fc=3916000 cc=2 chg=u
02-07 23:57:49.496 0 0 E QCOM-STEPCHG: handle_jeita: handle_jeita ,temp:222,
fcc_ua:4296000
02-07 23:57:49.496 0 0 E QCOM-STEPCHG: handle_jeita: handle_jeita ,FCC vote
chg_disable_votable:false
02-07 23:57:49.496 0 0 E QCOM-STEPCHG: handle_vbatt_limit: vbatt-4047865 lower or
rc-0, restored
02-07 23:57:49.530 0 0 W healthd : battery l=66 v=4047 t=22.2 h=2 st=2 c=483398
fc=3916000 cc=2 chg=u
02-07 23:57:55.063 0 0 D logd : logdr: UID=2000 GID=2000 PID=12111 b tail=0
logMask=99 pid=0 start=0ns timeout=0ns
02-07 23:57:57.671 0 0 W healthd : battery l=66 v=4047 t=22.2 h=2 st=2 c=480957
fc=3916000 cc=2 chg=u
02-07 23:58:05.822 0 0 E QCOM-STEPCHG: handle_jeita: handle_jeita ,temp:223,
fcc_ua:4296000
02-07 23:58:05.822 0 0 E QCOM-STEPCHG: handle_jeita: handle_jeita ,FCC vote
chg_disable_votable:false
02-07 23:58:05.822 0 0 E QCOM-STEPCHG: handle_vbatt_limit: vbatt-4049617 lower or
rc-0, restored
02-07 23:58:05.841 0 0 W healthd : battery l=66 v=4049 t=22.3 h=2 st=2 c=472107
fc=3916000 cc=2 chg=u
02-07 23:58:14.001 0 0 W healthd : battery l=66 v=4047 t=22.3 h=2 st=2 c=469055
fc=3916000 cc=2 chg=u
02-07 23:58:22.148 0 0 E QCOM-STEPCHG: handle_jeita: handle_jeita ,temp:223,
fcc_ua:4296000
02-07 23:58:22.148 0 0 E QCOM-STEPCHG: handle_jeita: handle_jeita ,FCC vote
chg_disable_votable:false
02-07 23:58:22.148 0 0 E QCOM-STEPCHG: handle_vbatt_limit: vbatt-4048449 lower or
rc-0, restored
02-07 23:58:22.172 0 0 W healthd : battery l=66 v=4048 t=22.3 h=2 st=2 c=474243
fc=3916000 cc=2 chg=u
02-07 23:58:30.329 0 0 W healthd : battery l=66 v=4051 t=22.3 h=2 st=2 c=483703
fc=3916000 cc=2 chg=u
02-07 23:58:33.461 0 0 E QG-K : process_udata_work: userspace write rbat=112,
esr=75
02-07 23:58:35.737 0 0 D logd : logdr: UID=2000 GID=2000 PID=12115 b tail=0
logMask=99 pid=0 start=0ns timeout=0ns
02-07 23:58:38.472 0 0 E QCOM-STEPCHG: handle_jeita: handle_jeita ,temp:224,
fcc_ua:4296000
02-07 23:58:38.472 0 0 E QCOM-STEPCHG: handle_jeita: handle_jeita ,FCC vote
chg_disable_votable:false
02-07 23:58:38.472 0 0 E QCOM-STEPCHG: handle_vbatt_limit: vbatt-4051563 lower or
rc-0, restored
02-07 23:58:38.487 0 0 W healthd : battery l=66 v=4051 t=22.4 h=2 st=2 c=478210
fc=3916000 cc=2 chg=u
```